
Ceník produktů 2017










REFERENZ

HIGH SPEED HDMI CABLE WITH ETHERNET









3-fold shielding

Silver-plated solid conductors

24c gold-plated contacts

Solid metal plugs

Conductors made of high-purity OFC € copper

HDMI mit Etherne

Extra large conductor diameters



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0071401	4001985506552	HDMI Ethernet <> HDMI Ethernet	Black	1,0m	15 / 15	3579,- K č
0071403	4001985506576	HDMI Ethernet <> HDMI Ethernet	Black	3,0m	9 / 9	4897,- Kč
0071405	4001985506583	HDMI Ethernet <> HDMI Ethernet	Black	5,0m	6 / 6	6378,- K č
0071407	4001985506590	HDMI Ethernet <> HDMI Ethernet	Black	7,5m	6 / 6	8072,- K č
0071412	4001985506613	HDMI Ethernet <> HDMI Ethernet	Black	12,0m	6 / 6	11031,- K č
0071415	4001985506620	HDMI Ethernet <> HDMI Ethernet	Black	15,0m	8 / 8	13155,- K č
0071420	4001985506644	HDMI Ethernet <> HDMI Ethernet	Black	20,0m	6 / 6	16546,- K č

⊗ ⊗ ⊗ ⊗ ⊗ ⊕ EXCELLENCE WIRELESS HDMI KIT

HDMI mit Ethernet





The Excellence Wireless HDMI Kit | 3D provides wireless transmission of picture and sound signals over distances of up to 30 m*. The kit supports Full HD, 3D and multi-channel audio formats. The set includes a transmitter and a receiver which are connected to the source or the TV via the HDMI interface. For ease of use, commands from IR remote controls can be transmitted back to the source via the return channel and the included IR sensors. The transmitter also has an HDMI output with a loop-through function. A TV positioned near to the source can be connected to the output at the same time.

Supports Full HD 1080p

Supports deep colour

Supports HDCP 2.0

Supports 3D

Supports multi-channel audio formats

Additional HDMI output on the transmitter (loop-through)

OBJ. ČÍSLO VELKÉ BALENÍ EAN CENA S DPH 00912003 4001985513369 Excellence Wireless HDMI Kit | 3D Black 18365,- Kč

HIGH SPEED HDMI CABLE WITH ETHERNET



The High Speed HDMI cable from the in-akustik Reference-series with its additional features, such as extra large conductor diameter or silverplated and solid data lines, ensure optimum picture quality even for cable lengths of 20 metres. A connection which is able to transmit even the highest data rates accurately and securely. It is licensed by the official HDMI organisation and displays the genuine HDMI logo. It is suitable for connecting digital AV components, such as DVD and Blu-ray players or game consoles with a plasma, LCD, LED-TV, projector or AV receiver





- 3-fold shielding
- Solid conductors
- Silver-plated conductors

- Conductors made of high-purity OFC
- 24c gold-plated contacts



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0062442007	4001985504879	HDMI Ethernet <> HDMI Ethernet	Anthracite	0,75m	15 / 30	1831,- Kč
0062442015	4001985504886	HDMI Ethernet <> HDMI Ethernet	Anthracite	1,5m	15 / 30	2222,- K č
006244203	4001985504893	HDMI Ethernet <> HDMI Ethernet	Anthracite	3,0m	15 / 30	2928,- K č
006244205	4001985504909	HDMI Ethernet <> HDMI Ethernet	Anthracite	5,0m	10 / 20	3896,- K č
0062442075	4001985504916	HDMI Ethernet <> HDMI Ethernet	Anthracite	7,5m	5 / 10	5073,- K č
006244210	4001985504923	HDMI Ethernet <> HDMI Ethernet	Anthracite	10,0m	5 / 10	6328,- K č
006244212	4001985504930	HDMI Ethernet <> HDMI Ethernet	Anthracite	12,0m	5 / 10	7191,- K č
006244215	4001985504947	HDMI Ethernet <> HDMI Ethernet	Anthracite	15,0m	5 / 10	8498,- Kč

♦ ♦ ♦ ♦ ♦ ♦ HIGH SPEED HDMI CABLE WITH ETHERNET | ANGLED






Some plasma TVs and LCD TVs have the HDMI inputs on the side. On the same time the adjustment of the HDMI socket can vary from manufacturer to manufacturer. That is why the Premium High Speed HDMI Cable with Ethernet has two differently arranged plugs and provides a suitable solution for all versions. The angled adjustment, it also allows multiple connectors to be placed above the other.



3-fold shielding







(A)	Conductors made of high-purity OFC
•	copper


igh-purity OFC 🛞	24c gold-plated contacts
------------------	--------------------------

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0042501	4001985508198	HDMI Ethernet 90° <> HDMI Ethernet 90°	Blue/Silver	1,0m	15 / 30	794,- Kč
00425015	4001985508228	HDMI Ethernet 90° <> HDMI Ethernet 90°	Blue/Silver	1,5m	15 / 30	946,- K č
0042502	4001985508235	HDMI Ethernet 90° <> HDMI Ethernet 90°	Blue/Silver	2,0m	15 / 30	1003,- Kč
0042503	4001985508242	HDMI Ethernet 90° <> HDMI Ethernet 90°	Blue/Silver	3,0m	15 / 30	1145,- K č
0042505	4001985508259	HDMI Ethernet 90° <> HDMI Ethernet 90°	Blue/Silver	5,0m	10 / 20	1469,- K č
0042508	4001985508266	HDMI Ethernet 90° <> HDMI Ethernet 90°	Blue/Silver	8,0m	5 / 10	2019,- K č
0042510	4001985509072	HDMI Ethernet 90° <> HDMI Ethernet 90°	Blue/Silver	10,0m	5 / 10	2958,- K č

PREMIUM

* * * * * *

HIGH SPEED HDMI CABLE WITH ETHERNET









3-fold shielding

Conductors made of high-purity OFC

Tin plated copper conductors (oxidation protection)






OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00423007	4001985507542	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	0,75m	15 / 30	696,- K č
00423007	4001985507542	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	0,75m	15 / 30	696,- K č
00423007	4001985507542	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	0,75m	15 / 30	805,- K č
00423007	4001985507542	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	0,75m	15 / 30	805,- K č
0042301	4001985508433	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	1,0m	15 / 30	794,- Kč
00423015	4001985507566	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	1,5m	15 / 30	970,- K č
0042302	4001985507573	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	2,0m	15 / 30	1035,- K č
0042303	4001985507580	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	3,0m	15 / 30	1156,- K č
0042305	4001985507597	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	5,0m	10 / 20	1469,- K č
0042308	4001985507603	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	8,0m	5 / 10	2074,- K č
0042310	4001985508921	HDMI Ethernet <> HDMI Ethernet	Blue/Silver	10,0m	5 / 10	3164,- K č

PREMIUM

XS HIGH SPEED HDMI CABLE WITH ETHERNET

These smart High Speed HDMI cables are extremely thin with a diameter of just 3.6 mm. You benefit from the exceptional flexibility of these cables. In



minimises external interference factors such as those emitted from smartphones. The sensitive signals are transmitted without hindrance. A



3-fold shielding

Wltra thin (3,6mm) and highly flexible

24c gold-plated contacts







Conductors made of high-purity OFC


Tin plated copper conductors (oxidation protection)



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0042461015	4001985510733	HDMI Ethernet <> HDMI Ethernet	White	1,5m	40	643,- K č
004246103	4001985510740	HDMI Ethernet <> HDMI Ethernet; active	White	3,0m	40	1190,- K č
004246105	4001985510764	HDMI Ethernet <> HDMI Ethernet: active	White	5.0m	40	1544 K č

♦ ♦ ♦ ♦ ♦ HIGH SPEED HDMI CABLE 180° WITH











3-fold shielding

copper

Conductors made of high-purity OFC

(oxidation protection) 180 ° swivel connectors

Tin plated copper conductors



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0042311	4001985507610	HDMI Ethernet 180° <> HDMI Ethernet 180°	Blue/Silver	1,0m	15 / 30	995,- K č
00423115	4001985507627	HDMI Ethernet 180° <> HDMI Ethernet 180°	Blue/Silver	1,5m	15 / 30	1090,- Kč
0042312	4001985507634	HDMI Ethernet 180° <> HDMI Ethernet 180°	Blue/Silver	2m	15 / 30	1157,- Kč
0042313	4001985507641	HDMI Ethernet 180° <> HDMI Ethernet 180°	Blue/Silver	3m	15 / 30	1278,- K č
0042315	4001985507658	HDMI Ethernet 180° <> HDMI Ethernet 180°	Blue/Silver	5m	10 / 20	1588,- Kč
0042318	4001985507665	HDMI Ethernet 180° $<>$ HDMI Ethernet 180°	Blue/Silver	8m	5 / 10	1938,- K č

PREMIUM

⊗ ⊗ ⊗ ⊗ ⊗ ⊕ HIGH SPEED HDMI KABEL WITH ETHERNET FLAT





The High Speed HDMI cable from the in-akustik Premium series in the trend colour white is particularly suitable for an elegant installation, e.g. under a carpet or a wallpaper. It supports all HD audio formats and resolutions up to 2160p (4K). It is ideal for connecting digital AV components such as DVD, Blu-ray player or games console such as a plasma, LCD, LED TV or projector.

Extra thin design (only approx. 1.9 Foil shielding

24c gold-plated contacts



OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH 00423407 4001985508068 HDMI Ethernet <> HDMI Ethernet White 0,75m 15 / 30 862,- Kč 00423415 4001985508075 HDMI Ethernet <> HDMI Ethernet White 15 / 30 1035,- Kč 1,5m 0042343 4001985508082 HDMI Ethernet <> HDMI Ethernet White 15 / 30 1238.- Kč 3m 0042345 4001985508099 HDMI Ethernet <> HDMI Ethernet White 5m 15 / 30 1533,- Kč 00423475 4001985508440 HDMI Ethernet <> HDMI Ethernet White 7,5m 10 / 20 2045,- Kč

PREMIUM



HIGH SPEED HDMI WITH ETHERNET MICRO



The High Speed Micro HDMI cable with Etnernet from the in-akustik Premium-series connects mobile devices with micro HDMI connection, such as cameras, camcorders and mobile phones etc. to a TV or AV receiver with an HDMI input. The cable supports all the current standards. It is ultra-thin and flexible, suitable for small, light mobile devices.





RoHS



3-fold shielding

Highly flexible

Conductors made of high-purity OFC copper

Conductors made of high-purity OFC

24c gold-plated contacts



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00423307	4001985507702	Micro HDMI <> HDMI	White	0,75m	30 / 60	862,- Kč
00423235	4001985507719	Micro HDMI <> HDMI	White	1,5m	30 / 60	1023,- Kč

PREMIUM



XS HIGH SPEED HDMI WITH ETHERNET MICRO



These smart High Speed HDMI cables are extremely thin with a diameter of just 3.6 mm. You benefit from the exceptional flexibility of these



addition, they are extremely light and therefore particularly suitable for connecting mobile devices and unobtrusive installations. Threefold



minimises external interference factors such as those emitted from smartphones. The sensitive signals are transmitted without hindrance. A






Ultra thin (3,6mm) and highly flexible





Conductors made of high-purity OFC ⊛ copper





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0042463015	4001985510801	HDMI Ethernet <> HDMI Micro D	White	1,5m	40	643,- Kč
004246303	4001985510818	HDMI Ethernet <> HDMI Micro D; active	White	3,0m	40	1159,- Kč
004246305	4001985510825	HDMI Ethernet <> HDMI Micro D; active	White	5,0m	40	1470,- Kč

🟵 🏵 🏵 🛇 💮 HIGH SPEED HDMI CABLE WITH ETHERNET | MINI

Premium HDMI mini can connect a camcorder to a TV or projector.









3-fold shielding

Highly flexible

★ Conductors made of high-purity OFC






OBJ. ČÍSLO	EAN			,	VELKÉ BALENÍ	CENA S DPH
00423215	4001985507689	Mini HDMI <> HDMI	White	1,5m	30 / 60	1399,- K č
0042323	4001985507696	Mini HDMI <> HDMI	White	3m	20 / 40	1695,- K č

PREMIUM

€ € €

XS HIGH SPEED HDMI CABLE WITH ETHERNET | MINI



addition, they are extremely light and therefore particularly suitable for connecting mobile devices and unobtrusive installations. Threefold shieldina

minimises external interference factors such as those emitted from smartphones. The sensitive signals are transmitted without hindrance. A



Ultra thin (3,6mm) and highly flexible

24c gold-plated contacts



Conductors made of high-purity OFC

Tin plated copper conductors (oxidation protection)



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0042462015	4001985510771	HDMI Ethernet <> HDMI Mini C	White	1,5m	40	643,- K č
004246203	4001985510788	HDMI Ethernet <> HDMI Mini C; active	White	3,0m	40	1133,- K č
004246205	4001985510795	HDMI Ethernet <> HDMI Mini C; active	White	5,0m	40	1470,- Kč



HIGH SPEED HDMI CABLE WITH ETHERNET

The High Speed HDMI cable with Ethernet from the in-akustik Star-series supports all HD audioformats and a resolution of up to 2160p (4k). 24c gold-plated plugs for optimum contact. It is suitable for connecting digital AV components, such as DVD, Blu-ray players or game consoles with a plasma, LCD, LED-TV or projector.





KoHS konform



3-fold shielding

24c gold-plated contacts

Conductors made of high-purity OFC




OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00324507	4001985511372	HDMI Ethernet <> HDMI Ethernet	Black	0,75m	40	338,- K č
00324515	4001985511389	HDMI Ethernet <> HDMI Ethernet	Black	1,5m	40	409,- K č
00324530	4001985511396	HDMI Ethernet <> HDMI Ethernet	Black	3,0m	40	523,- K č
00324550	4001985511402	HDMI Ethernet <> HDMI Ethernet	Black	5,0m	20	805,- Kč

HDMI Switch

EXCELLENCE HDMI MATRIX 4 x 2 HIGH SPEED / SP-DIF | 4K

RoHS





EDID generator

Remote control

3D support

Digital audio output

HDMI input on the front for mobile devices

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
0062450424	4001985511907	4 x HDMI > 2 x HDMI: Cross	Black	Set of 1	8061 Kč

♦ ♦ ♦ ♦ ♦ HDMI SWITCH 4K 4 -> 1 HIGH SPEED





"The premium HDMI switch has four HDMI inputs and one HDMI output. It is a convenient solution when devices are set up far from each other, because only one long HDMI cable (instead of four) has to be laid to the TV or projector. The splitter supports the new, high-definition 4K Ultra HD and 3D formats. It is backward compatible with lower resolutions such as Full HD 1080p. For connecting mobile devices, one of the inputs is on the front of the device and supports the MHL standard. The inputs can be switched directly on the device or using the remote control supplied with it. "MHL standard. The inputs can be switched directly on the device or using the remote control supplied with it."

- Supports 4k Ultra HD formats
- Picture-in-Picture-Function
- ← CEC pass Through









OBJ. ČÍSLO	OBJ. ČÍSLO EAN			VELKÉ BALENÍ	CENA S DPH
0042450413	4001985512393	4 x HDMI > 1 x HDMI	Black	20	4030,- Kč

PREMIUM

(*) (*) (*) (*)

HDMI SWITCH 4->1 HIGH SPEED







KoHS

konform



EDID management (Extended Display

(Consumer Electronic Control) function.

Identification Data)

LED display

Operated from the device or by

remote control 24c gold-plated contacts



x.v. Color

.....



OBJ. ČÍSLO VELKÉ BALENÍ EAN CENA S DPH 0042450412 4001985505067 $4 \times HDMI > 1 \times HDMI$ Black Set of 1 5 / 10 3914,- Kč

PREMIUM

* * * * * *

PREMIUM MHL - HDMI SWITCH BOX


MHL (Mobile High-DefinitionLink) is the new AV interface of mobile devices. Smartphones and tablet PCs that support this standard ude their Micro USB port for this. With the appropriate adapter HD picture and sound quality can be played back on a TV with HDMI input. In the Premium MHL / HDMI switch bos a MHL adapter is included.





1 MHL and 3 HDMI inputs

Supports 3D-Video (HDMI)



Supports 1080p (Full HD)



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00424505	4001985508280	1x MHL 3x HDMI > 1x HDMI	Black	Set of 1	16	4668,- K č
00424505	4001985508280	1x MHL 3x HDMI > 1x HDMI	Black	Set of 1	16	4668,- Kč
00424505	4001985508280	1x MHL 3x HDMI > 1x HDMI	Black	Set of 1	16	4668,- Kč
00424505	4001985508280	1x MHL 3x HDMI > 1x HDMI	Black	Set of 1	16	4668,- Kč

HDMI SWITCH 3 > 1 HIGH SPEED

The compact HDMI switch has three inputs and one output. It is compatible with Full HD and does not require a separate power supply Switching between the sources is done automatically or manually at the touch of a button.







Automatic and manual switch

.....

Compact design

No separate power supply required

HDMI



OBJ. CISLO	EAN				VELKE BALENI	CENA S DPH
003245031	4001985501328	3 x HDMI > 1 x HDMI	Black	Set of 1	40	1497,- Kč

€ € €

HDMI SPLITTER SCALER 4K 1->2 HIGH SPEED





The integrated scaler allows older and newer devices to be combined and makes the suitable format available to each device. This ensures that a new 4K-capable TV receives a 4K format even if an older Full HD TV is being operated on the splitter at the same time. The EDID management system (EDID Engine) generates the necessary EDID data for the source automatically. Overall, the splitter ensures that the connected devices can provide the maximum performance.

- Supports 4k Ultra HD formats
- Scaler

★ EDID Engine

VELKÉ BALENÍ

6

Set of 1

- 3D support
- Audio Format Switching





OBJ. ČÍSLO	OBJ. ČÍSLO EAN			VELKÉ BALENÍ	CENA S DPH
0042451142	4001985512379	1 x HDMI > 2 x HDMI	Silver	20	5936,- Kč

PREMIUM

(*) (*) (*) (*)

HDMI SPLITTER 1 -> 4 HIGH SPEED




KoHS konform




This HDMI splitter simultaneously distributes the image and sound of an HDMI source (such as a Blu-ray player, PS3 or similar devices) to up to four displays (such as LED/plasma TVs or projectors). The splitter is compatible with HDMI 1.4 and supports all common HDMI formats with its high bandwidth of up to 10.2 Gbps. These include 3D and Full HD 1080p as well as the new high-resolution 4k x 2k format. The Intelligent EDID management system (EDID Engine) automatically generates EDID datas that are neccessary for best picture & sound of the connected screens. This ensures that all screens can play picture and sound simultaneously.











.... HDMI



(222222) 4 x HDM

OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH EAN $1 \times HDMI > 4 \times HDMI$ 004245114 4001985509614 Set of 1 16 6404,- Kč

PREMIUM

♦ ♦ ♦

HDMI SPLITTER 1 -> 8 HIGH SPEED







This HDMI splitter simultaneously distributes the image and sound of an HDMI source (such as a Blu-ray player, PS3 or similar devices) to up

to eight displays (such as LED/plasma TVs or projectors). The splitter is compatible with HDMI 1.4 and supports all common HDMI formats with its high bandwidth of up to 10.2 Gbps. These include 3D and Full HD 1080p as well as the new high-resolution 4k x 2k format. The Intelligent EDID management system (EDID Engine) automatically generates EDID datas that are necessary for best picture & sound of the connected screens. This ensures that all screens can play picture and sound simultaneously.







Bandwidth = 3×340 MHz / 3.4 Gbps



HDMI OBJ. ČÍSLO FAN

4001985509621

...... 8 x HDM

 $1 \times HDMI > 8 \times HDMI$

(=10.2Gbps)



Antenna cable

004245118

PREMIUM


★ ★ ★ ★

HDTV ANTENNA CABLE 100 DB 90°



CENA S DPH

11589,- Kč





100 dB screening





3-fold shielding

Conductors made of high-purity OFC copper

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
004264015	4001985511716	F-Plug 90° > F-Plug 90°	White	1,5m	761,- K č
00426403	4001985511725	F-Plug 90° > F-Plug 90°	White	3,0m	850,- K č
00426405	4001985511750	F-Plug 90° > F-Plug 90°	White	5,0m	1062,- Kč
004264075	4001985511747	F-Plug 90° > F-Plug 90°	White	7,5m	1369,- K č
00426410	4001985511754	F-Plug 90° > F-Plug 90°	White	10,0m	1482,- Kč

EAN

4001985500505

4001985029303

4001985500956

4001985500963

4001985500970

4001985500987

4001985500994

4001985501137

4001985501144

HDTV ANTENNA CABLE 120 DB



This HDTV antenna cable is especially designed for the superior requirements of high resolution television formats (HDTV). The 4-fold 120 dB screening protects the sensitive signal content and ensures excellent picture quality. It is suitable for installing BK, SAT and cable TV systems and can be used indoors and outdoors. It can also be used for connecting DVB-T/-S/-C receivers



120 dB screening

24c gold-plated solid metal contacts Solid conductors

Conductors made of high-purity OFC copper



4-fold shielding







On Spool; 120 dB (Price per meter)

On Spool; 120 dB (Price per meter)

Coax (m) > Coax (f): 120 dB

Coax (m) > Coax (f); 120 dB

F-Plug; 120 dB

F-Plug; 120 dB







100m

500m

1.5m

3,0m

5,0m

7.5m

10,0m

1,5m

3 0m

Anthracite

Anthracite

Anthracite

Anthracite

Anthracite

Anthracite

Anthracite

Anthracite

Anthracite



VELKÉ BALENÍ	CENA S DPH
	267,- Kč
	89,- K č
50	1150,- K č
30	1254,- K č
16	1405,- K č
9	1647,- K č
9	1802,- K č
50	1150,- K č
30	1254 Kč

HDTV

120 dB

OBJ. ČÍSLO

00626000

0062600098

006261015

00626103

00626105

006261075

00626110

006262015

00626203

* * * * * * *

PROFESSIONAL A++ ANTENNA CABLE

KoHS



Professional high-end antenna cable, class A++. The cable meets the requirements of the standard DIN EN 50117-2-4 and has been recommended and approved by Deutsche Telekom. It is ideal for setting up BK systems for HD TV and supports the return channel (cable Internet).

- HD TV antenna cable, class A++
- Recommended and approved by
- Expanded PE dielectric

- Meets the requirements of the standard
- Suitable for return channel (Internet)
- Inner conductor: 1.0 mm bare copper

OBJ. ČÍSLO

006260036

4001985513314

Profi A++ Antenna cable 3S 120 dB; 6,8mm

White

250m

VELKÉ BALENÍ 1 Spule

162,- Kč



HDTV ANTENNA CABLE 120 DB HALOGENFREE



CENA S DPH





(2) 120 dB screening; Class A cable

Flame-retardant and halogenfree

Conductors made of high-purity OFC

copper



4-fold shielding

Solid conductors

120 dB

OBJ. ČÍSLO

EAN

4001985502578

VELKÉ BALENÍ

006260006

3 GHz; 120 dB; 7,0mm

White

100m

PREMIUM

 $\Theta \Theta \Theta \Theta$

HDTV ANTENNA CABLE 100 DB



CENA S DPH

91,- Kč

This HDTV antenna cable is especially designed for the requirements of high resolution television formats (HDTV). The 3-fold 100 dB screening protects the sensitive signal content. It is suitable for installing BK, SAT and cable TV systems and can be used indoors and outdoors. It can also be used for connecting DVB-T/-S/-C receivers.



100 dB screening



Solid conductors



3-fold shielding

Conductors made of high-purity OFC copper


HDTV 100 dB

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ			
004261015	4001985503865	Coax (m) > Coax (f)	White	1,5m	10 / 30	607,- K č	
00426103	4001985503872	Coax(m) > Coax(f)	White	3,0m	10 / 30	706,- K č	
00426105	4001985503889	Coax (m) > Coax (f)	White	5,0m	6 / 36	848,- K č	
004261075	4001985503896	Coax (m) > Coax (f)	White	7,5m	6 / 36	1044,- Kč	
00426110	4001985503902	Coax (m) > Coax (f)	White	10,0m	6 / 36	1230,- K č	

PREMIUM ★★★★

♦ ♦ ♦ ♦ ♦ HDTV ANTENNA CABLE 100 DB







★ 100 dB screening

★ Solid conductors

3-fold shielding

Conductors made of high-purity OFC copper

HDTV kompatibel

100 dB
75 Ohm Impedanz

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
004262015	4001985511655	F-Plug > F-Plug	White	1,5m	10 / 30	663,- K č
00426203	4001985511662	F-Plug > F-Plug	White	3,0m	10 / 30	749,- Kč
00426205	4001985511679	F-Plug > F-Plug	White	5,0m	6 / 36	905,- K č
004262075	4001985511686	F-Plug > F-Plug	White	7,5m	6 / 36	1087,- K č
00426210	4001985511709	F-Plug > F-Plug	White	10,0m	6 / 36	1243,- K č

PREMIUM ★ ★ ★ ★

HDTV ANTENNA CABLE 100 DB 90°

RoHS



This HDTV antenna cable is especially designed for the requirements of high resolution television formats (HDTV). The 3-fold 100 dB screening protects the sensitive signal content. It is suitable for installing BK, SAT and cable TV systems as well as for connecting DVB-T/-S/-C receivers. The space-saving angle plugs round off the product.







Conductors made of high-purity OFC

HDTV kompatibel 100 dB 75 Ohm Impedanz

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
004263015	4001985505548	Coax 90° (m) > Coax 90° (f)	White	1,5m	10 / 30	607,- K č
00426303	4001985505555	Coax 90° (m) > Coax 90° (f)	White	3,0m	10 / 30	706,- K č
00426305	4001985505562	Coax 90° (m) > Coax 90° (f)	White	5,0m	6 / 36	848,- Kč
004263075	4001985505579	Coax 90° (m) > Coax 90° (f)	White	7,5m	6 / 36	1099,- K č
00426310	4001985505586	Coax 90 $^{\circ}$ (m) > Coax 90 $^{\circ}$ (f)	White	10,0m	6 / 36	1230,- K č

ANTENNA CABLE



Coax antenna cable with 90 dB shielding and double shielding against external interferences. The gold-plated contacts also improve signal transmission and minimise contact resistance



2-fold shielding

Conductors made of high-purity OFC copper



24c gold-plated contacts







OBJ. ČÍSLO EAN			VELKÉ BALENÍ	CENA S DPH
003263015 4001985511419	Coax	Black	1,5m	343,- K č
00326303 4001985511426	Coax	Black	3,0m	382,- K č
00326305 4001985511433	Coax	Black	5,0m	504,- Kč

STAR 🛞 🛞 🛞 🛞 🛞

ANTENNA CABLE



F-plug antenna cable with 90 dB shielding and double shielding against external interferences. The gold-plated contacts also improve signal transmission and minimise contact resistance



2-fold shielding

Conductors made of high-purity OFC copper









OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
003264015	4001985511440	F-Plug	Black	1,5m	494,- Kč
00326403	4001985511457	F-Plug	Black	3,0m	578,- K č
00326405	4001985511464	F-Plug	Black	5,0m	678,- Kč

DisplayPort

DISPLAYPORT CABLE







3-fold shielding

Silver-plated conductors

24c gold-plated contacts

Solid conductors

[...]

DISPLAYPORT

 $\ \, \bigotimes \,$ Conductors made of high-purity OFC copper



HDTV

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ
00628015	4001985425303	DP <> DP	Anthracite	1,5m	10 / 40
0062803	4001985425310	DP <> DP	Anthracite	3,0m	10 / 40
0062805	4001985425327	DP <> DP	Anthracite	5,0m	10 / 20

[...]

DISPLAYPORT

ODJ. OIJLO	LAN				VELICE DALLINI	CENTODIN
00628015	4001985425303	DP <> DP	Anthracite	1,5m	10 / 40	1769,- Kč
0062803	4001985425310	DP <> DP	Anthracite	3,0m	10 / 40	2360,- K č
0062805	4001985425327	DP <> DP	Anthracite	5,0m	10 / 20	2950,- K č
00628075	4001985425334	DP <> DP	Anthracite	7,5m	10 / 20	4399,- Kč

RGB/YUV

YUV MINI



CENIA S DPH





2-fold shielding

000

Conductors made of high-purity OFC copper

Solid metal plug with 24c gold-

plated contacts

Extremely thin and easy to lay

000

Silver-plated signal and earth conductor



		N.	Meterware			
OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
006202	4001985622009	On Spool (Price per meter)	Anthracite	50m		435,- K č
006202007	4001985622016	3 RCA <> 3 RCA	Anthracite	0,75m	10 / 60	1048,- K č
00620203	4001985622047	3 RCA <> 3 RCA	Anthracite	3,0m	10 / 60	2066,- K č
00620205	4001985622054	3 RCA <> 3 RCA	Anthracite	5,0m	10 / 30	2924,- K č
006202075	4001985622078	3 RCA <> 3 RCA	Anthracite	7,5m	10 / 30	3970,- K č
00620210	4001985622085	3 RCA <> 3 RCA	Anthracite	10,0m	10 / 30	5070,- K č
00620212	4001985622092	3 RCA <> 3 RCA	Anthracite	12,0m	10 / 30	5955,- K č
00620215	4001985622115	3 RCA <> 3 RCA	Anthracite	15,0m		7350,- K č



YUV

Flexible YUV cable with RCA plugs for connecting DVD, Blu-ray or media-players to AV receivers or TVs etc.





2-fold shielding

24c gold-plated contacts

★ Conductors made of high-purity OFC copper

HDTV








OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00320007	4001985003303	3 RCA <> 3 RCA	Black	0,75m	10 / 30	503,- K č
00320015	4001985003310	3 RCA <> 3 RCA	Black	1,5m	10 / 30	724,- K č
0032003	4001985003327	3 RCA <> 3 RCA	Black	3,0m	10 / 20	986,- Kč
01012755	4001985127535	3 RCA <> 3 RCA	Black	5,0m		1340,- K č
010127575	4001985127542	3 RCA <> 3 RCA	Black	7,5m		1769,- K č
010127510	4001985127559	3 RCA <> 3 RCA	Black	10,0m		2220,- K č
010127515	4001985127566	3 RCA <> 3 RCA	Black	15,0m		3089,- Kč

S-Video cable

€ € € PREMIUM

S-VIDEO CABLE





3-fold shielding Solid conductors ★ Conductors made of high-purity OFC copper

24c gold-plated contacts



		S-VIDEO	\longleftrightarrow	S-VIDEO	Meterware				
OBJ. ČÍSLO	EAN				meterware.			VELKÉ BALENÍ	CENA S DPH
01051101	4001985511044		S-Video	<> S-Video; 6,0 mm		Anthracite	1,0m	10 / 100	477,- Kč
01051102	4001985511051		S-Video	<> S-Video; 6,0 mm		Anthracite	2,0m	10 / 100	630,- K č
01051103	4001985511693		S-Video	<> S-Video; 6,0 mm		Anthracite	3,0m	10 / 60	778,- K č
01051105	4001985511068		S-Video	<> S-Video; 6,0 mm		Anthracite	5, 0m	10 / 60	1071,- Kč
01051110	4001985511105		S-Video	<> S-Video; 6,0 mm		Anthracite	10,0m	10 / 30	1825,- K č

S-VIDEO CABLE PROFI

RoHS

RoHS

Star S-Video cable in a highly-flexible design with extruded plastic plugs and gold-plated contacts.



Dense spiral shielding

★ Conductors made of high-purity OFC

24c gold-plated contacts









OBJ. ČÍSLO	EAN	Meterware Meterware			VELKÉ BALENÍ	CENA S DPH
0101175	4001985011759	On Spool; 6,0 mm (Price per meter)	Black	100m		64,- K č
01011751	4001985117512	S-Video <> S-Video; 6,0 mm	Black	1,0m	10 / 100	269,- K č
01011753	4001985117529	S-Video <> S-Video; 6,0 mm	Black	3,0m	10 / 100	392,- K č
01011755	4001985117536	S-Video <> S-Video; 6,0 mm	Black	5,0m	10 / 60	525,- K č
010117575	4001985117543	S-Video <> S-Video; 6,0 mm	Black	7,5m	10 / 30	662,- K č
010117510	4001985117550	S-Video <> S-Video; 6,0 mm	Black	10,0m	10 / 30	829,- K č
010117515	4001985117567	S-Video <> S-Video; 6,0 mm	Black	15,0m	10 / 30	1125,- K č

Scart cable

PREMIUM

♦ ♦ ♦ ♦ €

SCART CABLE WHITE



Fully-wired scart cable with separately shielded leads and an additional overall shielding. The plugs are designed so that they it into sockets that are very close together.



2-fold shielding

24c gold-plated contacts

Conductors made of high-purity OFC copper

Fully-wired







		3CANI 3CANI				
OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
004220156	4001985422029	Scart <> Scart	White	1,5m	10 / 40	844,- Kč
00422036	4001985422036	Scart <> Scart	White	3,0m	10 / 40	1276,- K č
00422056	4001985422043	Scart <> Scart	White	5,0m	10 / 20	1963,- K č
004220756	4001985422050	Scart <> Scart	White	7,5m	5	2789,- K č

♦ ♦ ♦ ♦ ♦ PREMIUM

SCART CABLE



Fully-wired scart cable with separately shielded leads and an additional overall shielding. The plugs are designed so that they it into sockets that are very close together.



2-fold shielding

24c gold-plated contacts

★ Conductors made of high-purity OFC copper



SCART	





OBJ. ČÍSLO	EAN		metel wone		VELKÉ BALENÍ	CENA S DPH
0042201	4001985421916	Scart <> Scart	Trans.	1,0m	10 / 40	696,- K č
0042202	4001985421930	Scart <> Scart	Trans.	2,0m	10 / 40	1018,- Kč
0042203	4001985421947	Scart <> Scart	Trans.	3,0m	10 / 40	1287,- Kč
0042205	4001985421954	Scart <> Scart	Trans.	5,0m	10 / 20	1973,- K č
00422075	4001985421961	Scart <> Scart	Trans.	7,5m	5	2789,- K č

SCART CABLE

Fully-wired scart cable with gold-plated contacts and singlescreened leads. Flexible applications with straight cable leads.






Straight plug and cable lead



24c gold-plated contacts







OBJ. CISLO	EAN				VELKÉ BALENI	CENA S DPH
00322031	4001985003198	Scart <> Scart	Dark Blue	3,0m	10 / 40	1061,- K č

Video cable

PREMIUM ♦ ♦ ♦ ♦ ⊛

VIDEO- / DIGITAL CABLE







The Premium video cable with solid inner conductor made of copper and double shielding for connecting video recorders or DVD players with AV receivers or TVs etc.




- 2-fold shielding
- **★** Conductors made of high-purity OFC
- Solid conductors



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0041401	4001985507931	RCA <> RCA	Blue/Silver	1,0m	30 / 60	649,- K č
0041401	4001985507931	RCA <> RCA	Blue/Silver	1,0m	30 / 60	649,- K č
0041403	4001985507948	RCA <> RCA	Blue/Silver	3,0m	15 / 30	1044,- Kč
0041403	4001985507948	RCA <> RCA	Blue/Silver	3,0m	15 / 30	1044,- Kč
0041405	4001985507955	RCA <> RCA	Blue/Silver	5,0m	15 / 30	1346,- K č
0041405	4001985507955	RCA <> RCA	Blue/Silver	5,0m	15 / 30	1346,- K č

VIDEO- / DIGITAL CABLE







2-fold shielding



24c gold-plated contacts



★ Conductors made of high-purity OFC

O RCA VIDEO






OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00316207	4001985511303	RCA <> RCA; 5,0 mm	Black	0,75m	30 / 60	279,- K č
00316207	4001985511303	RCA <> RCA; 5,0 mm	Black	0,75m	30 / 60	279,- K č
00316215	4001985511310	RCA <> RCA; 5,0 mm	Black	1,5m	26 / 52	324,- Kč
00316215	4001985511310	RCA <> RCA; 5,0 mm	Black	1,5m	26 / 52	324,- Kč
0031623	4001985511327	RCA <> RCA; 5,0 mm	Black	3,0m	20 / 40	418,- Kč
0031623	4001985511327	RCA <> RCA; 5,0 mm	Black	3,0m	20 / 40	418,- Kč
0031625	4001985511334	RCA <> RCA; 5,0 mm	Black	5,0m	15 / 30	539,- K č
0031625	4001985511334	RCA <> RCA; 5,0 mm	Black	5,0m	15 / 30	539,- K č
00316275	4001985511341	RCA <> RCA; 5,0 mm	Black	7,5m	10 / 20	746,- Kč
00316275	4001985511341	RCA <> RCA; 5,0 mm	Black	7,5m	10 / 20	746,- Kč
00316310	4001985511358	RCA <> RCA; 5,0 mm	Black	10m	10 / 20	879,- K č
00316310	4001985511358	RCA <> RCA; 5,0 mm	Black	10m	10 / 20	879,- Kč
00316315	4001985511365	RCA <> RCA; 5,0 mm	Black	15m	10 / 20	1145,- Kč
00316315	4001985511365	RCA <> RCA; 5,0 mm	Black	15m	10 / 20	1145,- K č

Video accessories

DISPLAYPORT ADAPTER





external power supply unit. These Plug&Play adapters do not need any special driver software. The display port interface can be found on MAC

computers in particular (e.g. Mini MAC).





OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
006285003	4001985502172	Mini DisplayPort -> DVI Adapter; 0,15m	White	Set of 1	1263,- K č

PREMIUM HDMI MICRO ADAPTER

This HDMI adapter allows mobile devices, such as cameras with a micro HDMI connector, to be linked up to a TV using a standard HDMI cable. With gold-plated contacts.



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0045218	4001985506309	HDMI (f) <> Micro HDMI (m)	Black	Set of 1	80	456,- Kč

PREMIUM

♦ ♦ ♦

PREMIUM HDMI ANGLE ADAPTER 360°

This premium HDMI adapter can be bent in any direction you wish. It is ideal for connecting an HDMI cable in narrow spaces, for example behind an LED-TV on the wall, or other components. With gold-plated contacts.



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0045217	4001985505616	Rotatable around two axis; 2 x 180°	Black	Set of 1	80	563,- K č

HDMI REPEATER



The Excellence HDMI repeater boosts and corrects digital picture and sound data. It also allows large transmission distances between the hDMI source and receiver. It does not require a separate power supply and can be easily connected with plug & play.



- Allows transmission distances of up to 60 metres (e.g. 2 x 30 m)
- Compact design
- No separate power supply required

24c gold-plated contacts

Plug & Play connection

HDMI' HDTV BLU-RAY | PS3

OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH EAN 006245002 4001985502561 up to 60 m (2 x 30 m) Black Set of 1 20 / 80 1980,- Kč

PREMIUM

€ € € 6

HDMI ANGLE ADAPTER

RoHS

The Premium HDMI angle adapter can be adjusted by 180° for connecting an HDMI cable and is ideal for narrow spaces behind the components. With gold-plated contacts.



.....

......

OBJ. ČÍSLO VELKÉ BALENÍ EAN CENA S DPH 004521621 4001985308019 f > f; (+/-90°) Black Set of 1 40 / 80 484,- Kč

PREMIUM

(*) (*) (*)

HDMI <> DVI ADAPTER



The Premium HDMI <-> DVI adapters can bundle cables and components with DVI standard in HDMI chains. With gold-plated contacts. DVI-





D (m) -> HDMI (f) or HDMI (m) -> DVI-D (f).

HOMI FULL HD BLU-RAY | PS3

OBJ. ČÍSLO VELKÉ BALENÍ EAN CENA S DPH 0083240 4001985832408 HDMI (f) > DVI-D (m) Black 20 / 80 1145,- Kč Set of 1 0083241 4001985832415 HDMI(m) > DVI-D(f)Black Set of 1 20 / 80 1059,- Kč

PREMIUM

♦ ♦ ♦

PREMIUM HDMI ANGLE ADAPTER 90°

Compact HDMI angle adapter with 24c gold plated contacts. Male <-> Female



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S	DPH
0090201002	4001985503490	HDMI (f) <-> HDMI (m)	Black	Set of 1	20 / 20	348,-	Κč

EXZELLENZ

HDMI SAFETY CLIP





The HDMI safety clip prevents the HDMI plug from slipping out of the HDMI socket. The clip is itted to the housing with the fastening screw supplied. Suitable for all HDMI cables.

OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
00654003	4001985501441	HDMI Safety Clip	bulk 400	148,- K č

♦ ♦ ♦ ♦ ♦ HDTV ANTENNA PLUG 90°



A new type of high-end antenna plug made of solid metal with gold-plated contacts. Simple, safe and quick "twist-on" assembly.



- Cable extension: 7.0 mm
- Solid metal plug coax (m/w); F-plug
- 24c gold-plated contacts
- Quick and easy "twist-on" assembly

OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
006521261	4001985500376	Excellence Antenna Plug F-Plug 90°	Set of 2	535,- K č
00652106	4001985500307	Excellence Antenna Plug Coax (m) 90°	bulk	248,- K č
00652108	4001985500321	Excellence Antenna Plug Coax (f) 90°	bulk	248,- K č
00652126	4001985500369	Excellence Antenna Plug F-Plug 90°	bulk	252,- K č
006521081	4001985500338	Excellence Antenna Plug Coax (m/f) 90°	Set of 2	517,- Kč

HDTV ANTENNA PLUG

A new type of high-end antenna plug made of solid metal with gold-plated contacts. Simple, safe and quick "twist-on" assembly.









OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
00652102	4001985500260	Coax (m); 7,0 mm	bulk	160,- Kč
00652104	4001985500284	Coax (f); 7,0 mm	bulk	160,- K č
006521041	4001985500291	Coax (m/w); 7,0 mm	Set of 2	374,- Kč
00652122	4001985500345	F-Plug; 7,0 mm	bulk	160,- K č

♦ ♦ ♦ ♦ ♦ PROFESSIONAL F-PLUG

Professional high-end F-Plug. Simple mounting without screwing or crimping.





- Professional F-Plug
- Simple mounting
- Wery short and compact design
- Suitable for cable #006260036 or other 4.9/6.8mm coax cables with

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00652123	4001985513321	F-Plug Self-Inst 4.9/6.8 mm	Metal	Bulk		49,- K č

PROFESSIONAL COAX TOOL

Professional Coax-Tool. Suitable for cable #006260036 or plug #00652123. Integrated wrench for fixing the screws at the device





- Suitable for cable #006260036 or plug #00652123
- Integrated wrench for fixing the screws at the device

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00652124	4001985513338	Installation-Tool Coay-Tool"	Rlue	Rulk	833 - KČ

♦ ♦ ♦ ♦ ♦

S-VIDEO PLUG



Professional, solid S-Video plug (mini DIN) for S-Video cable up to 7.0 mm, 24c gold-plated contacts.

Solid 15 pin VGA (sub-D) plug with metal housing and 24c gold-plated contacts.



 OBJ. ČÍSLO
 EAN
 VELKÉ BALENÍ
 CENA S DPH

 0083409
 4001985034093
 Cable extension: 7.0 mm
 bulk
 814 - Kč

 0083409
 4001985034093
 Cable extension: 7,0 mm
 bulk
 814,- Kč







 OBJ. ČÍSLO
 EAN
 VELKÉ BALENÍ
 CENA S DPH

 008520151
 4001985201518
 Cable extension: 10,5 mm (f)
 bulk
 405,- Kč

PREMIUM ★ ★ ★ ★

SCART ADAPTER



Scart <-> RCA/S-Video adapter with 24c gold-plated contacts



OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
008323	4001985083237	Scart <> RCA/S-Video; switchable	Set of 1 20 / 80	494,- Kč
0083230	4001985032327	RCA/S-Video > Scart	Set of 1	770,- K č

EXZELLENZ 🛠 🛠 🛠 🛠

RCA



The Excellence RCA plug is an elegant shape with unique technology. It can be crimped as well as soldered due to an additional ground



contact and its special materials.

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
006500422	4001985500239	Cable extension: 8,0 mm	Red	bulk	259,- K č
006500422	4001985500239	Cable extension: 8,0 mm	Red	bulk	259,- K č
006500427	4001985500246	Cable extension: 8,0 mm	Black	bulk	259,- K č
006500427	4001985500246	Cable extension: 8,0 mm	Black	bulk	259,- K č
006500423	4001985500208	Cable extension: 8,0 mm	Yellow	bulk	259,- K č
006500423	4001985500208	Cable extension: 8,0 mm	Yellow	bulk	259,- K č
006500425	4001985500406	Cable extension: 8,0 mm	Green	bulk	259,- K č
006500425	4001985500406	Cable extension: 8,0 mm	Green	bulk	259,- K č



RCA plugs for easy assembly. Suitable for the 75 Ohm Excellence HDTV antenna cable, and also suited for connecting e.g. video and digital

(some subwoofer cables too) in individual lengths or for installing empty conduits etc.



7 mm cable extension

Easy twist-on assembly

Solid metal plug

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
006500437	4001985502639	RCA plug Twist-On 7mm	Black	bulk	104,- Kč
006500437	4001985502639	RCA plug Twist-On 7mm	Black	bulk	104,- Kč
006500433	4001985502653	RCA plug Twist-On 7mm	Yellow	bulk	104,- Kč
006500433	4001985502653	RCA plug Twist-On 7mm	Yellow	bulk	104,- Kč
006500432	4001985502646	RCA plug Twist-On 7mm	Red	bulk	104,- Kč
006500432	4001985502646	RCA plug Twist-On 7mm	Red	bulk	104,- Kč

PREMIUM

♦ ♦ ♦ ♦ ♦

BNC ADAPTER

RoHS

24c gold-plated adapter from BNC to RCA socket.



OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
0083262	4001985832620	BNC (m) $>$ RCA (f)	Set of 3	793,- K č

TV-Accessories

EXZELLENZ

⊗⊗⊗⊗⊗ SCREEN CLEANER



Environment-friendly special and biodegradable cleaner for TFT/LCD/PLASMA screens, PDA screens and all treated and untreated glass surfaces. Before application, please refer to the manufacturer's cleaning instructions. Contains no alcohol (not flammable). Contents: 250 ml TFT/LCD/PLASMA Screen Cleaner + 1 Vileda Micro-fibre cloth (size 38 x 40 mm)



OBJ. CISLO	EAN		VELKE BALENI	CENA S DPH
006528001	4001985502554	250ml; Vileda Micro-fibre cloth	Set of 1 15	621,- K č

PREMIUM

€ € €


Screen-Clean cleaner for screens



The surface of TFT | LCD | PLASMA displays consists of a sensitive plastic that can be easily scratched. Most flat-panel displays are also coated with an anti-reflective coating. This cleaner guarantees effective and gentle cleaning of the screen surfaces. Simply spray the screen cleaner onto the included microfibre cloth and clean the display. The cleaner is suitable for maintenance of flat-panel displays, TFT displays, digital cameras, smart phones, tablet PCs and laptops.



TÜV tested





Suitable for LCD, TFT, plasma displays

Without propellant gas



OBJ. ČÍSLO EAN			VELKÉ BALENÍ	CENA S DPH
004528002	4001985510160	Screen-Clean cleaning kit 50ml: ME cloth	Set of 1 15	275 - Kč

🟵 🏵 🏵 🏵 🏵 💮 Optik-Clean Eyeglasses Cleaning Kit




The user benefits from exceptional cleaning power. The anti-fogging effect also significantly minimises fogging of the lenses. The lenses are sprayed from both sides with some eyeglasses cleaner and wiped with the included microfibre lens cloth. The eyeglasses cleaner also produces an anti-static, dirt-shedding sealant.





★ Very effective cleaning





Anti-fog and anti-static effect

(*) Tested by an independent institute



OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH 004528003 4001985510177 Eyeglasses cleaning kit 50ml; MF cloth Set of 1 15 208,- Kč



PREMIUM

* * * * *


Disk-Cleaner

The Disk-Clean cleaner was specifically designed for cleaning CDs, DVDs and Blu-rays. It removes dirt, fingerprints, etc., in a manner that is gentle, thorough and reliable. The environmentally friendly, antistatic ingredients prevent rapid re-soiling. Simply spray the surface of the disk, clean it with the included microfibre cloth with light pressure from the inside out, and then gently polish it.





Antistatic





TÜV tested

Without propellant gas



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč

Speaker cable

REFERENZ

LS-2404

With the LS-2404 we have moved on to the fourth generation of Referenz speaker cables. The improvement in sound from the high-speed hollow conductors introduced in the third generation was so overwhelming that we have further refined and optimised the technology. In addition to the waveguide design, where the individual copper wires are arranged around a polyethylene core, in the fourth generation the copper wires are lacquered as insulation from each other. This prevents chaotic and undefined contact between the copper wires, which might otherwise lead to uncontrolled eddy current. As well as this, the new cables are characterised by extremely low inductivity. A total of 24



24-fold Multicore

Concentric Copper

PE network jacket reduces microvibrations and capacitance



Super Speed waveguide technology

DUO-PE II insulation around each


High Power Management



RoHS

OBJ. ČÍSLO	EAN				CENA S DPH	
007702431	4001985511488	Easy Plug; Single-Wire	Black	2x3,0m	1/1**	76276,- K č
0077024311	4001985511495	Easy Plug; Single-BiWire	Black	2x3,0m	1/1**	77628,- K č
007702435	4001985514731	BFA Banana 45°; Single-Wire	Black	2x3,0m	1/1	77245,- K č
0077024351	4001985514748	BFA Banana 45°; Single-BiWire	Black	2x3,0m	1/1	80833,- K č
007702433	4001985511525	Spade Lug; Single-Wire	Black	2x3,0m	1/1	80558,- K č
0077024331	4001985511532	Spade Lug; Single-BiWire	Black	2x3,0m	1/1	83374,- K č





★ 16-fold Multicore

High Speed waveguide technology

Concentric Copper

DUO-PE II insulation around each conductor

PE network jacket reduces microvibrations and capacitance

High Power Management




OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007701631	4001985506095	Easy Plug; Single-Wire	Black	2x3,0m	1 / 1**	46081,- K č
0077016311	4001985506132	Easy Plug; Single-BiWire	Black	2x3,0m	1 / 1**	46645,- K č
007701632	4001985506101	BFA Banana; Single-Wire	Black	2x3,0m	1 / 1	47208,- K č
007701635	4001985514717	BFA Banana 45°; Single-Wire	Black	2x3,0m	1 / 1	48488,- Kč
0077016321	4001985506149	BFA Banana; Single-BiWire	Black	2x3,0m	1 / 1	48447,- Kč
0077016351	4001985514724	BFA Banana 45°; Single-BiWire	Black	2x3,0m	1 / 1	51325,- K č
007701633	4001985506118	Spade Lug; Single-Wire	Black	2x3,0m	1 / 1	47884,- Kč
0077016331	4001985506156	Spade Lug; Single-BiWire	Black	2x3,0m	1 / 1	49687,- Kč
007701634	4001985506125	Screw Type; Single-Wire	Black	2x3,0m	1 / 1**	48447,- Kč
0077016341	4001985506163	Screw Type; Single-BiWire	Black	2x3,0m	1 / 1**	51264,- K č
00719307	4001985511877	Bi-Wire Jumper; BFA Bananas	Black	Set	**	4469,- Kč
00719307	4001985511877	Bi-Wire Jumper; BFA Bananas	Black	Set	**	4469,- Kč
00719306	4001985511860	Bi-Wire Jumper; Spades	Black	Set		5434,- K č
00719306	4001985511860	Bi-Wire Jumper; Spades	Black	Set		5434,- Kč

REFERENZ

LS-1203

RoHS konform



12-fold Multicore

High Speed waveguide technology

Concentric Copper

conductor

PE network jacket reduces microvibrations and capacitance

High Power Management



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007701231	4001985506019	Easy Plug; Single-Wire	Black	2x3,0m	1 / 1**	32911,- K č
0077012311	4001985506057	Easy Plug; Single-BiWire	Black	2x3,0m	1 / 1**	33620,- K č
007701232	4001985506026	BFA Banana; Single-Wire	Black	2x3,0m	1 / 1	34184,- Kč
007701235	4001985514694	BFA Banana 45°; Single-Wire	Black	2x3,0m	1 / 1	35944,- K č
0077012321	4001985506064	BFA Banana; Single-BiWire	Black	2x3,0m	1 / 1**	35603,- K č
0077012351	4001985514700	BFA Banana 45°; Single-BiWire	Black	2x3,0m	1 / 1**	38921,- K č
007701233	4001985506033	Spade Lug; Single-Wire	Black	2x3,0m	1 / 1**	35040,- K č
0077012331	4001985506071	Spade Lug; Single-BiWire	Black	2x3,0m	1 / 1**	36730,- K č
007701234	4001985506040	Screw Type; Single-Wire	Black	2x3,0m	1 / 1**	35603,- K č
0077012341	4001985506088	Screw Type; Single-BiWire	Black	2x3,0m	1 / 1**	38194,- K č
00719305	4001985511853	Bi-Wire Jumper; BFA Bananas	Black	Set	**	4281,- Kč
00719305	4001985511853	Bi-Wire Jumper; BFA Bananas	Black	Set	**	4281,- Kč
00719304	4001985511846	Bi-Wire Jumper; Spades	Black	Set	**	5240,- K č
00719304	4001985511846	Bi-Wire Jumper; Spades	Black	Set	**	5240,- K č

DUO-PE II insulation around each

LS-803

The little brother of the LS-1203 has an 8-fold multicore design. The tightlypacked PE-Network Jacket holds the wires together and reduces micro-vibrations (High Power Management), which occur in the cable from the changing magnetic fields in the beat of the music. The cable therefore also transmits high level and extreme dynamic peaks with absolute precision.



Concentric Copper

PE network jacket reduces microvibrations and capacitance



High Speed waveguide technology

DUO-PE II insulation around each conductor


High Power Management



RoHS

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007700831	4001985505937	Easy Plug; Single-Wire	Black	2x3,0m	1 / 1**	20202,- K č
0077008311	4001985505975	Easy Plug; Single-BiWire	Black	2x3,0m	1 / 1**	21046,- K č
007700832	4001985505944	BFA Banana; Single-Wire	Black	2x3,0m	1 / 1	21610,- K č
007700835	4001985514670	BFA Banana 45°; Single-Wire	Black	2x3,0m	1 / 1	23841,- K č
0077008321	4001985505982	BFA Banana; Single-BiWire	Black	2x3,0m	1 / 1	23029,- K č
0077008351	4001985514687	BFA Banana 45°; Single-BiWire	Black	2x3,0m	1 / 1	26946,- K č
007700833	4001985505951	Spade Lug; Single-Wire	Black	2x3,0m	1 / 1	22320,- K č
0077008331	4001985505999	Spade Lug; Single-BiWire	Black	2x3,0m	1 / 1	24303,- K č
007700834	4001985505968	Screw Type; Single-Wire	Black	2x3,0m	1 / 1**	23029,- K č
0077008341	4001985506002	Screw Type; Single-BiWire	Black	2x3,0m	1 / 1**	25711,- K č









★ 6-fold Multicore

High Speed waveguide technology

Concentric Copper

conductor

- PE network jacket reduces micro-
- vibrations and capacitance High Power Management

4	ini
MA	DEIN

OBJ. ČÍSLO EAN					CENA S DPH	
007700631	4001985505890	Easy Plug; Single-Wire	Black	2x3,0m	1 / 1**	13329,- K č
007700632	4001985505906	BFA Banana; Single-Wire	Black	2x3,0m	1 / 1	15593,- K č
007700635	4001985514663	BFA Banana 45°; Single-Wire	Black	2x3,0m	1 / 1**	17295,- K č
007700633	4001985505913	Spade Lug; Single-Wire	Black	2x3,0m	1 / 1	17250,- K č
007700634	4001985505920	Screw Type; Single-Wire	Black	2x3,0m	1 / 1**	18545,- K č

DUO-PE II insulation around each

REFERENZ

LS-1102

The Reference LS-1102 has six conductors each with 37 concentrically stranded wires. The strands are in triple symmetry and specifically arranged in the CC-187 design to keep the inductance low and the resistance linear. The total cable cross-section delivers outstanding and controlled low frequency reproduction with high effectivity.



03/2004





← Hexa CC-187 design; 6 x 1.87 mm²

3-fold symmetrical design

- 37 wires concentrically stranded per conductor
- DUO-PE II insulation around each conductor
- PE network jacket reduces microvibrations and capacitance
- Low induction for homogeneous reproduction



OBJ. ČÍSLO	EAN	Marai Mara			VELKÉ BALENÍ	CENA S DPH
00781102	4001985781119	On Spool (Price per meter)	Black	50m		1031,- K č
007811322	4001985781133	BFA Banana; Single-Wire	Black	2x3,0m	1 / 1**	17656,- K č

REFERENZ

LS-1002

The Reference LS-1002 consists of four wires in the CC-297 design. The conductors are arranged in double symmetry each with 37 concentrically stranded wires. The large cross-section ensures a wider base and depth.







Quatro CC-297 design; 4 x 2.97 mm²

Double-symmetrical design

- 37 wires concentrically stranded per conductor
- DUO-PE II insulation around each conductor
- PE network jacket reduces microvibrations and capacitance
- Low induction for homogeneous reproduction



OBJ. ČÍSLO EAN				VELKÉ BALENI		CENA S DPH
00781002	4001985781010	On Spool (Price per meter)	Black	50m		776,- Kč
007810322	4001985781034	BFA Banana; Single-Wire	Black	2x3,0m	1 / 1**	12709,- K č

REFERENZ

LS-602

The Reference LS-602 is a double-symmetrical cable design. The high density reduces the inductance factor to the beneit of the medium and high-frequency ranges.





Quatro CC-187 design; 4 x 1.87 mm²

Double-symmetrical design

37 wires concentrically stranded per conductor

DUO-PE II insulation around each conductor

PE network jacket reduces microvibrations and capacitance



Low induction for homogeneous reproduction



OBJ. ČÍSLO	EAN	Meterware			VELKÉ BALENÍ	CENA S DPH
00780602	4001985780549	On Spool (Price per meter)	Black	50m		578,- K č
007806322	4001985780563	BFA Banana; Single-Wire	Black	2x3,0m	1 / 1**	11470,- Kč

The LS-502 has two symmetrically arranged strands, each containing 37 concentrically stranded wires. The thick wires demonstrate its class even when used with high-performance systems.







SEHR GUT

03/2004





Duo CC-297 design; 2 x 2.97 mm²

Symmetrical design



37 wires concentrically stranded per conductor


DUO-PE II insulation around each conductor

PE network jacket reduces microvibrations and capacitance

Low induction for homogeneous reproduction

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00780502	4001985780501	On Spool (Price per meter)	Black	50m		472,- Kč
007805322	4001985780525	BFA Banana; Single-Wire	Black	2x3,0m	1 / 1**	9012,- K č

Exzellence LS-40





Copper wires with 50 x 0.25 mm strands

Additional support elements made of

Double symmetrical, 4-wire construction

Low induction for homogeneous high-frequency reproduction

MADEIN
MADE IN GERMANY

KoHS konform

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00602740	4001985511617	4x2,5mm²	Black/Grey	50m	482,- K č
00602743	4001985512355	Easy Plug; Single-Wire	Black/Grey	2x3,0m	5642,- K č
006027431	4001985512645	Easy Plug; Single-BiWire	Black/Grey	2x3,0m	5755,- K č

Exzellence LS-20

Low-loss PE insulation


The speaker cable Excellence LS-20 is based on the technical principles of the legendary Reference Series. It consists of two twisted wires. The PE Network Jacket holds the wires tightly together. The insulation is made of high quality, solid PE (Polyethylene). The elaborately finished cable offers a taut, dynamic and very clear sound.



 ★ Copper wires with 50 x 0.25 mm strands

Additional support elements made of

Symmetrical, 2-wire construction





KoHS

KoHS

OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
00602720	4001985511624	2x2,5mm²	Black/Grey 50m	321,- K č
00602723	4001985512362	Easy Plug; Single-Wire	Black/Grey 2x3,0m	5229,- K č

SPEAKER CABLE MSR

Pure grade (oxygen free) copper

The Excellence speaker cables MSR use the legendary MSR®-technology (magnetic current reflector). The basis for this is the so-called proximity effect in which adjacent conductors cause an uneven distribution of the electric current. Basis of the patented MSR®-technology is a fine copper strip placed between the conductors which reduces the proximity effect of the two conductors.



MSR®-Technology

Finest stranded (strand diameter 0,07 mm)

1302 /2100 / 3150 strands

Highly flexible



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
0060242	4001985725014	2 x 2,5 mm ² (Price per meter)	Trans.	100 m	181,- Kč
0060244	4001985725021	2 x 4,0 mm ² (Price per meter)	Trans.	80 m	263,- K č
0060246	4001985725038	2 x 6,0 mm ² (Price per meter)	Trans.	50 m	324,- K č

ATMOS AIR

The Excellence Atmos Air relieves the burden on the amplifier with its loss-free air insulation and ensures significantly more dynamics, clarity







Rich in sound concentric copper conductor

Loss-free air insulation

Precise, concentric conductor design Additional air dielectric

OBJ. ČÍSLO	EAN	Meterware		VELKÉ BALENÍ	CENA S DPH
0060222	4001985425044	2 x 1,87 mm ² (Price per meter)	Trans.	60 m	156,- K č
0060223	4001985425051	2 x 2.97 mm ² (Price per meter)	Trans.	50 m	208 Kč



SPEAKER CABLE SILVER

On the whole, highly-flexible wires have a larger conductor surface compared to solid designs. This beneits the transmission of high frequency ranges. As well as the fine wire design (0.07 mm), the silver-plating of the Excellence Silver also supports the transmission of high frequencies. The low-loss PE wire insulation and the additional PE dielectric also relieve the burden on the amplifier. For more dynamics and pleasure.

High frequency range optimised, silver-plated concentric copper

Low-loss PE insulation

Additional PE dielectric

Finest 0.07 mm wire design

Opposing S/Z stranding (easy to install)

Plus/minus recognition



RoHS konform

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
0060214	4001985425020	2 x 4,0 mm ² (Price per meter)	Trans.	60 m	618,- K č
0060212	4001985425013	2 x 2,5 mm ² (Price per meter)	Trans.	70 m	403,- K č

€ € € PREMIUM

SPEAKER CABLE SUPER FLAT

The super flat speaker cable with ten separate insulated solid conductors made from OFC copper ensures tight and precise sound transmission. Easy to lay in tubes under the carpet or behind the skirting boards. On the wall with the white side, on the parquet floor with the brown side. Practical with a great sound.







Solid conductor (2 x 5 x 0.5 mm²) for more dynamics

Two colour insulation , "hidden" cabling

Super flat

Plus/minus recognition



OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH EAN 00402526 4001985425082 2 x 2,5 mm² (Price per meter) White/Brau 150 m 118,- Kč



SPEAKER CABLE FLAT

The flat speaker cable with its very fine, braided (not stranded) wires is extremely compact and lexible. It can be perfectly laid under carpets or behind skirting boards. Ideally suited for Surround systems.



KoHS konform



Finely-stranded: 0.10 mm (1.5 mm²) / 0.07 mm (2.5 mm²)

"Invisible" to lay under carpets or behind skirting boards

Flat, compact design

Plus/minus recognition



OBJ. ČÍSLO	EAN	7700		VELKÉ BALENÍ	CENA S DPH
00402316	4001985424955	2 x 1,5 mm ² (Price per meter)	White	150 m	100,- K č
00402326	4001985424962	2 x 2,5 mm ² (Price per meter)	White	130 m	163,- K č

PREMIUM ♦ ♦ ♦ ♦

SPEAKER CABLE SILVER

The Premium speaker cable Silver has a silver-plated conductor for optimised high frequency reproduction.





High frequency range optimised, silver-plated concentric copper

Opposing S/Z stranding (easy to



Plus/minus recognition



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
0040214	4001985424948	2 x 4,0 mm ² (Price per meter)	Trans.	100 m	252,- K č
0040212	4001985424931	2 x 2,5 mm ² (Price per meter)	Trans.	120 m	164,- K č
0040211	4001985424924	2 x 1,5 mm ² (Price per meter)	Trans.	180 m	107,- Kč

♦ ♦ ♦ PREMIUM

SPEAKER CABLE

The Premium speaker cable brings delight to sophisticated music connoisseurs as well as professional users with its outstanding features. This robust cable ensures rich performances.



12/2008

KoHS



Finely-stranded: 0.15 mm wire design

Opposing S/Z stranding (easy to

Resistant insulation





install)

	1	Meterware			
OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
004024	4001985424894	2 x 4,0 mm ² (Price per meter)	Trans.	100 m	181,- K č
0040246	4001985424917	2 x 4,0 mm ² (Price per meter)	White	100 m	181,- Kč
00402498	4001985424900	2 x 4,0 mm ² (Price per meter)	Trans.	400 m	181,- Kč
004022	4001985424856	2 x 2,5 mm ² (Price per meter)	Trans.	120 m	112,- K č
00402298	4001985424863	2 x 2,5 mm ² (Price per meter)	Trans.	500 m	103,- K č
0040226	4001985424870	2 x 2,5 mm ² (Price per meter)	White	120 m	106,- K č
0040228	4001985424887	2 x 2,5 mm ² (Price per meter)	Anthracite	120 m	106,- Kč
004021	4001985424818	2 x 1,5 mm ² (Price per meter)	Trans.	180 m	73,- K č
0040216	4001985424832	2 x 1,5 mm ² (Price per meter)	White	180 m	70,- K č

PREMIUM

♦ ♦ ♦ ♦ ♦

SPEAKER CABLE IN COGNITO

The special speaker cable for small to medium satellite and shelf speakers. The thin round cable of 5 mm can be discreetly installed in corners or around doors and windows and can also be easily covered with an acrylic joint.




KoHS



High-purity OFC copper

Round, compact design (diameter: 5



Plus/minus recognition



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00402707	4001985002689	2 x 1,5 mm ² halogen-free (Price per meter)	White	100 m	104,- Kč
00402707	4001985002689	2 x 1,5 mm ² halogen-free (Price per meter)	White	100 m	104,- Kč

PREMIUM

€ € € €

SPEAKER CABLE HALOGENFREE

Special halogen-free and flame-retardant loudspeaker cable for the installation sector. Laying this durable cable is very user-friendly thanks to its rounded design. The strands, made of 0.25 mm thick wires, are easy to wire up and deliver high-power audio effects.





Plus/minus detection

Rounded sheath makes them easy to



😭 Strand design 2 x 50 x 0.25 mm

Flame-retardant and halogenfree

HALOGENFREI

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00402707	4001985002689	2 x 1,5 mm ² ; round (Price per meter)	White	100m	104,- Kč
00402707	4001985002689	2 x 1,5 mm ² ; round (Price per meter)	White	100m	104,- Kč
00402928	4001985502707	2 x 2,5 mm ² ; round (Price per meter)	Grey	100m	152,- K č

♦ ♦ ♦ ♦ ♦ ♦ SPEAKER CABLE

The classic speaker cable for all applications with remarkable electrical properties.





Wniversal speaker cable for any application

Flexible and easy to install with opposing S/Z stranding



Plus/minus recognition



OBJ. ČÍSLO	EAN	neterware		VELKÉ BALENÍ	CENA S DPH
003022	4001985424771	2 x 2,5 mm ² (Price per meter)	Trans.	150 m	92,- K č
00302298	4001985424788	2 x 2,5 mm ² (Price per meter)	Trans.	500 m	92,- K č
0030226	4001985424795	2 x 2,5 mm ² (Price per meter)	White	150 m	92,- K č
003021	4001985424726	2 x 1,5 mm ² (Price per meter)	Trans.	200 m	59,- K č
00302198	4001985424733	2 x 1,5 mm ² (Price per meter)	Trans.	1000 m	59,- K č
0030216	4001985424740	2 x 1,5 mm ² (Price per meter)	White	200 m	59,- K č
0030218	4001985424764	2 x 1,5 mm ² (Price per meter)	Anthracite	200 m	59,- K č
003020	4001985424696	2 x 0,75 mm ² (Price per meter)	Trans.	400 m	32,- K č
0030206	4001985424702	2 x 0,75 mm ² (Price per meter)	White	400 m	32,- K č

Mini spools

PREMIUM

SPEAKER CABLE 4,0MM²

The Premium speaker cable brings delight to sophisticated music connoisseurs as well as professional users with its outstanding features. This robust cable ensures rich performances.





Opposing S/Z stranding (easy to install)

For discerning music lovers and professional users

Universal speaker cable suitable for many applications

Plus/minus recognition

Finely-stranded: 0.15 mm wire design

Resistant insulation

OBJ. ČÍSLO EAN VELKÉ BALENÍ CENA S DPH 00402410 4001985044894 2 x 4,0 mm²; mini spool Transparen 10m 2159,- Kč

SPECIAL EDITION

Standard speaker cable for universal application at home or in the car.





Flexible, easy to install

Plus/minus recognition



Universal speaker cable for any application



		Meterware			
OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
01002430	4001985024308	2 x 1,5 mm²; Mini spool	Trans.	30 m	1738,- K č
01002436	4001985024360	2 x 1,5 mm ² ; Mini spool	White	30 m	1738,- K č
01004425	4001985044252	2 x 2,5 mm ² ; Mini spool	Trans.	25 m	2348,- K č
010024309	4001985243099	2 x 1,5 mm ² ; Mini spool Euro	Trans.	30 m	1776,- K č
010024369	4001985243693	2 x 1,5 mm ² ; Mini spool Euro	White	30 m	1776,- K č

MIKADO

The universal speaker cable for all applications has square/round coding for correct connections and correct phasing to the amplifier and





Flexible, easy to install

Plus/minus recognition

Universal speaker cable for any application



-	T
Met	erware


OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
01001740	4001985170074	2 x 0,75 mm ² ; Mini spool	Trans.	Set 40m	1301,- K č
01001840	4001985018048	2 x 0,75 mm ² ; Mini spool	Black	Set 40m	1203,- K č
010017409	4001985174096	2 x 0,75 mm ² ; Mini spool Euro	Trans.	Set 40m	1342,- Kč
010018409	4001985184095	2 x 0,75 mm ² ; Mini spool Euro	Black	Set 40m	1241,- K č

SPEAKER CABLE REELS



The classic speaker cable for all applications is good value for money and has remarkable electrical properties.







Plus/minus recognition

opposing S/Z stranding

	on M	
(
	7	

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
003020006	4001985650064	2 x 0,75 mm ² ; Cable reel 6m	Trans.	50 pcs	50	232,- K č
003020010	4001985650071	2 x 0,75 mm ² ; Cable reel 10m	Trans.	40 pcs	40	356,- K č
003021010	4001985650088	2 x 1,5 mm ² ; Cable reel 10m	Trans.	35 pcs	35	602,- K č
003021020	4001985650095	2 x 1,5 mm ² ; Cable reel 20m	Trans.	20 pcs	20	1158,- K č
003022010	4001985650101	2 x 2,5 mm ² ; Cable reel 10m	Trans.	25 pcs	25	984,- K č

Speaker cable accessories

REFERENZ

♦ ♦ ♦ ♦ ♦ BANANA BFA-103





The Reference BFA banana meets the strict requirements of the BFA standard (British Federation of Audio). The cable receptacle and the plug are constructed in one piece so that contact resistance can be avoided. The surface coating of rhodium is extremely durable. Suitable for inakustik Reference speaker cables or all high end speaker cables with a diameter up to 10 mm².

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007891800	4001985503582	4mm Banana, Rhodium coated	Rhodium	bulk	1000	342,- K č
00719001	4001985506842	4mm Banana, Rhodium coated	Rhodium	Set of 4	1000	1985,- Kč

REFERENZ



The angled shape of the new BFA-103 banana plug relieves the strain on the contact sleeve and the device socket. This facilitates the connection of heavy high-end cables without damaging the plug or connection terminals on the device. In addition the angled cable route saves space behind devices and loudspeakers.

The body of the plug consists of a solid socket with two hexagon head screws and can accommodate cables with a cross-section of up to 10 mm2 or a diameter of up to 7.5 mm. All contact elements are coated with rhodium and guarantee long-lasting low contact resistance.



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
007891801	4001985513444	4mm Banana, Rhodium coated	Rhodium	bulk	575,- K č

REFERENZ

SCREW TYPE ADAPTER



The BFA, flexible pin and spade lug adapter all provide several connection options, for instance, if the amplifier or speaker is replaced and different connections are required.








OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00971100	4001985711000	Basic Adapter		bulk	2000	127,- K č
00789168bw	4001985783175	BFA Banana Adapter	White/Blac	bulk	1000	192,- K č
009711018	4001985711017	Spade Lug Adapter		bulk	1000	175,- K č
009711048	4001985711482	Flexible Pin Adapter	Red/Black	bulk	1000	158,- K č

REFERENZ

⊗⊗⊗⊗⊗ BFA BANANA







OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00789169bw	4001985789177	4 mm Banana	White/Blac	bulk	1000	201,- K č
008169	4001985016907	4 mm Banana	Red/Black	bulk	1500	215,- K č
0081691	4001985016914	4 mm Banana	Red/Black	Set of 4	200	905,- Kč

EXZELLENZ



BFA BANANA Suitable for cable cross-sections of up to 6.0 mm². Meets the strict requirements of the BFA standard. Red/black coding. With screw



OBJ. ČÍSLO	EAN			VELKÉ BALEN	NÍ CENA S DPH
006500021	4001985650057	4 mm Banana	Red/Black Se	t of 4 200	1441,- Kč

PREMIUM





Suitable for cable cross-sections of up to 16.0 mm². With screw connections and high-quality 24c gold-plated contacts. Red / black coding.





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
008147	4001985814701	4 mm Banana	Red/Black	bulk	1000	200,- K č
0081471	4001985814718	4 mm Banana	Red/Black	Set of 4	200	873,- Kč

♦ ♦ ♦ € PREMIUM



BANANA MULTI TIP

Suitable for cable cross-sections of up to 6mm²/10mm². With soldered connections and high-quality 24c gold-plated contacts. Red/black



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0081483	4001985814831	4 mm Banana; up to 6,0 mm ²	Red/Black	bulk	1000	86,- Kč
00814831	4001985148318	4 mm Banana; up to 6,0 mm ²	Red/Black	Set of 4	200	403,- K č
0081484	4001985814848	4 mm Banana; up to 10,0 mm ²	Red/Black	bulk	1000	91,- K č
00814841	4001985148417	4 mm Banana; up to 10.0 mm ²	Red/Black	Set of 4	200	403 Kč

♦ ♦ ♦ ♦ ♦

BANANA TS



Suitable for cable cross-sections of up to 16.0 mm². With screw connections and 24c gold-plated contacts. red/black coding.



OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
0081461	4001985814619	4 mm Banana	Red/Black Set of 4 200	706 Kč

PREMIUM ★ ★ ★ ★ ★

FLEXIBLE PIN



For safe and easy connections on clip terminals. Suitable for cable crosssections of up to 6.0 mm². For crimping or soldering. With 24c gold-plated contacts. red/black coding



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
008155	4001985815500	1,5 mm ² - 4,0 mm ²	Red/Black	bulk		88,- Kč
0081551	4001985815517	1,5 mm ² - 4,0 mm ²	Red/Black	Set of 4	200	438,- K č

HOLLOW TIP



The hollow tips are perfectly suited to the socket and ensure the largest possible contact surface. Suitable for cable crossections of up to 6.0 mm². For crimping or soldering. With silver-plated or 24c gold-plated contacts.



OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
008149	4001985814909	4 mm Banana	100 bulk 2500 / 1500	65,- K č
0081492	4001985014927	4 mm Banana; silver-plated	100 bulk 2500 / 1500	68 K č

♦ ♦ ♦ ♦ ♦ SPADE LUG KS-103



The cable receptacle and the plug are constructed in one piece to avoid contact resistance. The rhodium coating is extremely durable. A special feature is the slotted spade lug. It is deforming concave when tightening the speaker terminal and prevents the cable from slipping out of the terminal. Suitable for in-akustik Reference speaker cables or all high end speaker cables with a diameter up to 10 mm².



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007890802	4001985506460	7,0 mm	Rhodium	bulk	1000	564,- K č
00719101	4001985506866	6/8 mm Spade; up to 10,0 mm ²	Rhodium	Set of 4	1000	3102,- K č
00719103	4001985506446	7,0 mm	Rhodium	Set of 4		3617,- Kč
007890801	4001985506422	9,2 mm	Rhodium	bulk	1000	564,- K č
007890800	4001985503568	8,2 mm	Rhodium	bulk	1000	564,- K č
00719102	4001985506439	9,2 mm	Rhodium	Set of 4		3281,- K č



Spade lug for cross-section of up to 6.0 mm² made of 24c gold-plated OFC-copper for crimping or soldering. With 6/8 mm graded fork.



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007893	4001985930005	6/8 mm fork; up to 3,0 mm ²	White/Blac	bulk	1000	230,- K č
007896	4001985960019	6/8 mm fork: up to 6.0 mm ²	White/Blac	bulk	1000	248 - Kč






SPADE LUG

 $Spade lug for cross-section of up to 4.0 \ mm^2 \ made from 24c \ gold-plated \ OFC-copper for \ crimping \ or \ soldering. \ With 6/8 \ mm \ graded for k.$ black/red coding.



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00450022	4001985450022	6/8 mm fork; up to 4 mm ²	Red/Black	bulk		49,- K č

REFERENZ





High-end bi-wire jumper based on the LS-1603. Fitted with the KS-103 Reference spade lug or BFA Banana. The rhodium surface treatment is extremely durable. The contact surfaces and the screw connection are manufactured from a single piece, allowing contact resistance to be avoided. The spade changes shape. The contact surface of the spade, which is slitted on the side, changes to a concave shape when the screw connections are tightened, thus preventing the spade lug from sliding out.









High Speed waveguide





N. G	ADE IN	
N/G	ERMANY	

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00719306	4001985511860	Spades	Black	Set		5434,- Kč
00719306	4001985511860	Spades	Black	Set		5434,- Kč
00719307	4001985511877	BFA Bananas	Black	Set	**	4469,- K č
00719307	4001985511877	BFA Bananas	Black	Set	**	4469,- Kč

REFERENZ



REFERENCE LS-1203 BI-WIRE JUMPER



High-end bi-wire jumper based on the LS-1203. Fitted with the KS-103 Reference spade lug or BFA Banana. The rhodium surface treatment is extremely durable. The contact surfaces and the screw connection are manufactured from a single piece, allowing contact resistance to be avoided. The spade changes shape. The contact surface of the spade, which is slitted on the side, changes to a concave shape when the screw connections are tightened, thus preventing the spade lug from sliding out.



12-fold Multicore

★ Concentric Copper

High-Power-Management



High Speed waveguide

DUO-PE II Insulation

PE-Network Jacket



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00719304	4001985511846	Spades	Black	Set	**	5240,- K č
00719304	4001985511846	Spades	Black	Set	**	5240,- K č
00719305	4001985511853	BFA Bananas	Black	Set	**	4281,- K č
00719305	4001985511853	BFA Bananas	Black	Set	**	4281 Kč

REFERENZ

♦ ♦ ♦ ♦ ♦ ★ REFERENCE LS-803 BI-WIRE JUMPER



High-end bi-wire jumper based on the LS-803. Fitted with the KS-103 Reference spade lug or BFA Banana. The rhodium surface treatment is extremely durable. The contact surfaces and the screw connection are manufactured from a single piece, allowing contact resistance to be avoided. The spade changes shape. The contact surface of the spade, which is slitted on the side, changes to a concave shape when the screw connections are tightened, thus preventing the spade lug from sliding out.



★ Concentric Copper

High-Power-Management

8-fold Multicore

High Speed waveguide

DUO-PE II Insulation

PE-Network Jacket

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00719302	4001985511822	Spades	Black	Set		5201,- K č
00719303	4001985511839	BFA Bananas	Black	Set	**	4248,- K č

REFERENZ

BI-WIRE JUMPER

 $High-end\ bi-wire\ jumper\ based\ on\ the\ LS-1002.\ Fitted\ with\ the\ KS-60\ Reference\ spade\ lug\ (6/8\ mm\ graded\ fork)$







OBJ. ČÍSLO EAN			VELKÉ BALENÍ		VELKÉ BALENÍ	CENA S DPH
00719301	4001985506897	Bi-Wire jumpers; 15 cm	Black	Set of 2	1 / 1	3337,- K č

REFERENZ

SHRINK SLEEVE

Reference shrink sleeve for custom-fitting of the LS-502 to LS-1302 Reference speaker cables.





OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
0109SS00060	4001985005253	Ø 12 mm; "in-akustik Germany"	Black	40mm	107,- K č
0109SS00110	4001985005536	Ø6,4 mm	Black	150mm	38,- K č
0109SS00120	4001985005543	Ø6,4 mm	White	150mm	38,- Kč

Audio cable Home HiFi

REFERENCE NF-2404

The Referenz NF-2404 is a cable that again raises the bar and approximates the ideal of pure air insulation as closely as never before. For this product, in-akustik has designed a special clip: Inside the cable, many of those clips are arranged to form a special helical support holding two symmetrically arranged conductors freely in the air while maintaining the exact distance to the shield. The structure is highly flexible thanks to two crosspieces that do not only interconnect the clips but also ensure highly accurate spacing. The clips are meticulously assembled by hand at the on-site factory and then threaded into the Super Speed waveguide. The resulting Air Helix is then provided with a




Air Helix structure

Super Speed waveguide

PE network jacket preventing microvibrations



Extremely low capacities thanks to air dielectric




Braided shield made of low-oxidation copper



KoHS

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
007187007	4001985513215	RCA <> RCA	Black	0,75m	39096,- K č
007187010	4001985513079	RCA <> RCA	Black	1,0m	43715,- K č
007187015	4001985513093	RCA <> RCA	Black	1,5m	61967,- K č
0071870073	4001985513222	XLR <> XLR	Black	0,75m	42701,- K č
0071870103	4001985513086	XLR <> XLR	Black	1,0m	47433,- K č
0071870153	4001985513109	XLR <> XLR	Black	1,5m	65573,- K č







High Speed signal conductor

Triplesymmetrical Design

★ 16-fold PE-Tube Insulation

PE-Network Jacket

\odot
VID M-I-










		XLR Male XLR Female		
OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
007186007	4001985508655	RCA <> RCA	Black/Whit 0,75m	16664,- K č
007186010	4001985509102	RCA <> RCA	Black/Whit 1,0m	18782,- K č
007186015	4001985508679	RCA <> RCA	Black/Whit 1,5m	25148,- K č
0071860073	4001985508662	XLR <> XLR	Black/Whit 0,75m	18647,- K č
0071860103	4001985509119	XLR <> XLR	Black/Whit 1,0m	20753,- K č
0071860153	4001985508686	XLR <> XLR	Black/Whit 1,5m	27120,- K č

REFERENZ

★ ★ ★ ★ ★ REFERENCE NF-1203







High Speed signal conductor

DUO-PE II Insulation



3-fold PE-Tube Insulation













0	PE-Network	Jacket














(\star)	L F-INGENMOIK	Jack


		Market Market	IICH PODIO		
OBJ. ČÍSLO	EAN	XLR Male XLR Female		VELKÉ BALENÍ	CENA S DPH
007185007	4001985508617	RCA <> RCA	Black/Whit	0,75m	11672,- Kč
007185010	4001985508983	RCA <> RCA	Black/Whit	1,0m	12405,- K č
007185015	4001985508631	RCA <> RCA	Black/Whit	1,5m	15120,- Kč
0071850073	4001985508624	XLR <> XLR	Black/Whit	0,75m	13307,- K č
0071850103	4001985508990	XLR <> XLR	Black/Whit	1,0m	14028,- K č
0071850153	4001985508648	XLR <> XLR	Black/Whit	1,5m	16810,- K č

REFERENZ

♦ ♦ ♦ ♦ ♦ ♦ REFERENCE NF-803 RCA







"comfortably". The PE-Network Jacket also prevents micro-vibrations. Another highlight are the Referenz



High Speed signal conductor







Symmetrical design

DUO-PE II Insulation

2-fold PE-Tube Insulation









OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007184007	4001985508570	Stereo; RCA <> RCA	Black/Whit	0,75m	15 / 15	6697,- K č
007184010	4001985508969	Stereo; RCA <> RCA	Black/Whit	1,0m	15 / 15	7529,- K č
007184015	4001985508594	Stereo; RCA <> RCA	Black/Whit	1,5m	15 / 15	9748,- K č

REFERENZ

REFERENCE NF-803 XLR



The audio cable NF-803 from the in-akustik Referenz series convinces with outstanding clarity, precision and accuracy. Two high speed signal conductors provide the signal transport. At the same time, the DUO-PE II

and the air-filled PE tubes reduce unwanted capacitance and enable the signal source to work "comfortably". The PE-Network Jacket also prevents micro-vibrations.



Braided shielding

PE-Network Jacket



Symmetrical design

DUO-PE II Insulation

2-fold PE-Tube Insulation









0
XLR Fem

OBJ. ČÍSLO	EAN	ALI I Ellidic	VELKÉ BALENÍ	CENA S DPH
0071840073	4001985508587	Stereo; XLR (m) <> XLR (f)	Black/Whit 0,75m 15 / 15	7996,- Kč
0071840103	4001985508976	Stereo; XLR (m) \ll XLR (f)	Black/Whit 1,0m 15 / 15	8830,- K č
0071840153	4001985508600	Stereo; XLR (m) \ll XLR (f)	Black/Whit 1,5m 15 / 15	10512,- K č

REFERENZ



♦ ♦ ♦ ♦ ♦ PHONO CABLE NF-803



The phono cable NF-803 from the in-akustik Referenz series convinces with outstanding clarity, precision and accuracy. Two high speed signal conductors provide the signal transport. At the same time, the DUO-PE II insulation and the air-filled PE tubes reduce unwanted capacitance and enable the signal source to work "comfortably". The PE-Network Jacket also prevents micro-vibrations. Another highlight are the Referenz GAP II RCA plugs which take the symmetrical design of this connection to the limit.

High Speed signal conductor

Symmetrical design

Braided shielding

DUO-PE II Insulation

- PE-Network Jacket
- 2-fold PE-Tube Insulation




OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0071840215	4001985512423	Phono RCA > Phono RCA	Black	1,5m	15 / 15	11222,- K č
0071840315	4001985512430	SME > Phono RCA	Black	1,5m	15 / 15	12540,- K č

REFERENZ






Precisely because audio signals are so sensitive, we have equipped our Reference NF-202 audio cable with some highly effective technology: optimum DUO-PE II insulation with air-filled PE tubes, an innovative GAP plug, but also in particular an extremely sophisticated, solid conductor made of high-purity OFC copper, which all ensure uniform transit times and crystal-clear signal transmission. The earth and signal conductors are the same size and arranged symmetrically. The PE network jacket prevents micro-vibrations.



Wires made of high-purity OFC copper

DUO-PE II insulation around each conductor



Foil shielding and weave sleeve made of OFC copper

Polyethylene tubes filled with air (best insulator)



00 RCA AUDIO







- (Ф		B
1		4	7
		Į	

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0078202	4001985720200	On Spool; mono cable; 7,2 mm (Price per meter)	Black	50m		635,- K č
00718106	4001985506781	RCA <> RCA	Black	0,6m	15 / 15	5362,- K č
00718112	4001985506798	RCA <> RCA	Black	1,2m	15 / 15	5890,- K č

REFERENZ

PHONO CABLE NF-202



Precisely because audio signals are so sensitive, we have equipped our Reference phono cable NF-202 with some highly-effective technology: optimum DUO-PE II insulation with air-filled PE tubes, an innovative GAP plug, but also in particular an extremely sophisticated, solid conductor made of high-purity OFC copper, which all ensure uniform transit times and crystal-clear signal transmission. The earth and signal conductors are the same size and arranged symmetrically. The PE network jacket prevents micro-vibrations.





PE-Network Jacket



High-purity OFC copper

DUO-PE II Insulation

PE-Tube Insulation




NEW

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007181215	4001985512409	Phono RCA > Phono RCA	Black	1,5m	15 / 15	8563,- Kč
007181315	4001985512416	SME > Phono RCA	Black	1,5m	15 / 15	9611,- Kč

REFERENZ



NF-102









₩ Wires made of high-purity OFC copper

DUO-PE II insulation around each conductor



The PE network jacket against micro-€ vibrations

Foli shielding

Polyethylene tubes filled with air (best insulator)



00	\longleftrightarrow	00	



4	
	/
1	

0	\longleftrightarrow	00	
OIO		RCA AUDIO	

OBJ. ČÍSLO	EAN	11444			VELKÉ BALENÍ	CENA S DPH
0078102	4001985710201	On Spool; mono cable; 5,8 mm (Price per meter)	Black	50m		429,- K č
00718006	4001985506767	RCA <> RCA	Black	0,6m	15 / 15	4519,- K č
00718012	4001985506774	RCA <> RCA	Black	1,2m	15 / 15	4830,- K č

♦ ♦ ♦ ♦ ♦ AUDIO CABLE RCA





The Premium audio cable is impressive with its high copper content for powerful sound. The double shielding protects against interference. The double mono structure ensures optimal channel separation and better electronic properties.



- ♠ Double shielding
- Conductors made of high-purity OFC copper
- Solid metal plugs
- 24c gold-plated contacts



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00404007	4001985507788	Stereo; 2 x RCA <> 2 x RCA	Blue/Silver	0,75m	15 / 30	931,- K č
00404015	4001985507795	Stereo; 2 x RCA <> 2 x RCA	Blue/Silver	1,5m	15 / 30	1102,- K č
0040403	4001985507801	Stereo; 2 x RCA <> 2 x RCA	Blue/Silver	3,0m	10 / 20	1406,- K č
0040405	4001985507818	Stereo; 2 x RCA <> 2 x RCA	Blue/Silver	5,0m	5 / 10	1780,- K č

PREMIUM

(*) (*) (*)

AUDIO CABLE XLR

The Premium audio cable is impressive with its high copper content for powerful sound. The double shielding protects against interference. The double mono structure ensures optimal channel separation and better electronic properties.





- Double shielding
- Solid metal plugs
- Conductors made of high-purity OFC copper
- 24c gold-plated contacts





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00405007	4001985512188	Stereo; XLR (m) <> XLR (f)	Blue/Silver	0,75m	15 / 30	1501,- Kč
00405015	4001985512195	Stereo; XLR (m) \ll XLR (f)	Blue/Silver	1,5m	15 / 30	1801,- K č
0040503	4001985512201	Stereo; XLR (m) \ll XLR (f)	Blue/Silver	3,0m	10 / 20	2400,- K č
0040505	4001985512218	Stereo; XLR (m) <> XLR (f)	Blue/Silver	5,0m	5 / 10	3000,- K č

PREMIUM



Y-SUB CABLE

The Premium y-sub cable is impressive with its high copper content for powerful sound. The double shielding protects against interference.





- Double shielding
- Conductors made of high-purity OFC copper
- Solid metal plugs

24c gold-plated contacts



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0040802	4001985507825	Y Sub; RCA > 2 x RCA	Blue/Silver	2,0m	15 / 30	805,- K č
0040803	4001985507832	Y Sub; $RCA > 2 \times RCA$	Blue/Silver	3,0m	15 / 30	905,- K č
0040805	4001985507849	Y Sub; $RCA > 2 \times RCA$	Blue/Silver	5,0m	10 / 20	1087,- K č
0040812	4001985507863	Y Sub; $RCA > 2 \times RCA$	Blue/Silver	12,0m	5 / 10	1840,- K č
0040815	4001985507870	Y Sub; RCA $> 2 \times RCA$	Blue/Silver	15,0m	5 / 10	2143,- K č

PREMIUM

MONO-SUB CABLE

The Premium mono-sub cable is impressive with ist high copper content for powerful sound. The double shielding protects against





- Double shielding
- Solid metal plugs
- Conductors made of high-purity OFC
- 24c gold-plated contacts

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00408021	4001985513239	Mono Sub; Cinch <> Cinch	Blue/Silver	2,0m	700,- Kč
00408031	4001985513246	Mono Sub; Cinch <> Cinch	Blue/Silver	3,0m	824,- Kč
00408051	4001985513253	Mono Sub; Cinch <> Cinch	Blue/Silver	5,0m	1071,- Kč
00408081	4001985513260	Mono Sub; Cinch <> Cinch	Blue/Silver	8,0m	1307,- K č
00408121	4001985513277	Mono Sub; Cinch <> Cinch	Blue/Silver	12,0m	1831,- Kč
00408151	4001985513284	Mono Sub; Cinch <> Cinch	Blue/Silver	15,0m	2122,- K č

AUDIO CABLE

The Star audio cable reduces sound loss with its dense shielding and thick inner conductor. The 24c gold-plated metal plugs preserve





Dense shielding

Conductors made of high-purity OFC copper







OBJ. ČÍSLO	EAN	RCA AUDIO RCA AUDIO			VELKÉ BALENÍ	CENA S DPH
00304000	4001985003044	On Spool; stereo; 2 x 6,0 mm (Price per meter)	Trans.	50m		130,- K č
00304107	4001985511112	Stereo; RCA <> RCA	Trans.	0,75m	20 / 40	559,- K č
00304115	4001985511129	Stereo; RCA <> RCA	Trans.	1,5m	20 / 40	682,- Kč
0030413	4001985511136	Stereo; RCA <> RCA	Trans.	3,0m	10 / 20	905,- Kč
0030415	4001985511143	Stereo; RCA <> RCA	Trans.	5,0m	5 / 10	1238,- Kč

Y-SUBWOOFER CABLE

The Star Y subwoofer cable reduces sound loss with ist dense shielding and thick inner conductor. The 24c gold-plated metal plugs preserve quality at the connections.





Dense shielding

Conductors made of high-purity OFC







OBJ. ČÍSLO	EAN	RCA AUDIO			VELKÉ BALENÍ	CENA S DPH
0030822	4001985511150	Y Sub; RCA > 2 x RCA; 6,0 mm	Trans.	2,0m	15 / 30	494,- Kč
0030823	4001985511174	Y Sub; RCA > 2 x RCA; 6,0 mm	Trans.	3,0m	15 / 30	593,- K č
0030825	4001985511198	Y Sub; RCA > 2 x RCA; 6,0 mm	Trans.	5,0m	15 / 30	776,- K č
00308275	4001985511211	Y Sub; RCA > 2 x RCA; 6,0 mm	Trans.	7,5m	10 / 20	960,- K č
00308310	4001985511235	Y Sub; RCA > 2 x RCA; 6,0 mm	Trans.	10,0m	10 / 20	1060,- K č
00308312	4001985511259	Y Sub; RCA $>$ 2 x RCA; 6,0 mm	Trans.	12,0m	5 / 10	1313,- K č

STAR (A) (A) (A) (A)

MONO- SUBWOOFER CABLE

The Star mono subwoofer cable reduces sound loss with ist dense shielding and thick inner conductor. The 24c gold-plated metal plugs preserve

quality at the connections.



CENA S DPH

392,- Kč

454,- Kč

576,- Kč

833,- Kč

991,- K**č**

1106,- K**č**



FAN

4001985511167

4001985511181

4001985511204

4001985511228

Dense shielding

Conductors made of high-purity OFC copper

Trans

Trans.

Trans

Trans

Trans.

Trans.









Mono Sub; RCA <> RCA; 6,0 mm

003083101 4001985511242 003083121 4001985511266

OBJ. ČÍSLO

00308221

00308231

00308251

003082751

Digital coax

REFERENZ AAAAA

DIGITAL CABLE ON/OFF-202

In normal coaxial digital cables, the shielding is also used for the return signal. The reference On/Off-202 digital cable has a separate conductor for the return signal and also has a double shielding. The twisted pair design ensures extremely large data rates with low jitter. The cable exactly maintains a specified characteristic impedance of 75 ohms, keeping inductance and capacitance in perfect balance.





- Silver-plated solid conductor for a high bandwidth
- DUO-PE II insulation around each conductor



0

- Twisted pair technology: twisted conductor and return conductor
- Fitted with low-loss GAP RCA plugs
- Double shielding (Foil and braid shielding)

VELKÉ BALENÍ

15 / 30

15 / 30

15 / 30

10 / 20

10 / 20

10 / 20

2,0m

3.0m

5,0m

7,5m

10,0m

12,0m

Separately-guided return conductor



OBJ. ČÍSLO	EAN	metel wate			VELKÉ BALENÍ	CENA S DPH
00782202	4001985820801	On Spool; 5,5 mm (Price per meter)	Black	50m		1190,- Kč
00718306	4001985506828	RCA <> RCA	Black	1,2m	15 / 15	4296,- K č
00718312	4001985506835	RCA <> RCA	Black	0,6m	15 / 15	3871,- Kč

Strana 35

♦ ♦ ♦ ♦ ♦ VIDEO- / DIGITAL CABLE





The Premium video cable with solid inner conductor made of copper and double shielding for connecting video recorders or DVD players with





Conductors made of high-purity OFC copper




24c gold-plated contacts



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0041401	4001985507931	RCA <> RCA	Blue/Silver	1,0m	30 / 60	649,- Kč
0041401	4001985507931	RCA <> RCA	Blue/Silver	1,0m	30 / 60	649,- K č
0041403	4001985507948	RCA <> RCA	Blue/Silver	3,0m	15 / 30	1044,- K č
0041403	4001985507948	RCA <> RCA	Blue/Silver	3,0m	15 / 30	1044,- K č
0041405	4001985507955	RCA <> RCA	Blue/Silver	5,0m	15 / 30	1346,- K č
0041405	4001985507955	RCA <> RCA	Blue/Silver	5,0m	15 / 30	1346,- K č

VIDEO- / DIGITAL CABLE

RoHS







2-fold shielding



24c gold-plated contacts

★ Conductors made of high-purity OFC copper







OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00316207	4001985511303	RCA <> RCA; 5,0 mm	Black	0,75m	30 / 60	279,- K č
00316207	4001985511303	RCA <> RCA; 5,0 mm	Black	0,75m	30 / 60	279,- K č
00316215	4001985511310	RCA <> RCA; 5,0 mm	Black	1,5m	26 / 52	324,- K č
00316215	4001985511310	RCA <> RCA; 5,0 mm	Black	1,5m	26 / 52	324,- K č
0031623	4001985511327	RCA <> RCA; 5,0 mm	Black	3,0m	20 / 40	418,- K č
0031623	4001985511327	RCA <> RCA; 5,0 mm	Black	3,0m	20 / 40	418,- K č
0031625	4001985511334	RCA <> RCA; 5,0 mm	Black	5,0m	15 / 30	539,- K č
0031625	4001985511334	RCA <> RCA; 5,0 mm	Black	5,0m	15 / 30	539,- K č
00316275	4001985511341	RCA <> RCA; 5,0 mm	Black	7,5m	10 / 20	746,- K č
00316275	4001985511341	RCA <> RCA; 5,0 mm	Black	7,5m	10 / 20	746,- K č
00316310	4001985511358	RCA <> RCA; 5,0 mm	Black	10m	10 / 20	879,- K č
00316310	4001985511358	RCA <> RCA; 5,0 mm	Black	10m	10 / 20	879,- K č
00316315	4001985511365	RCA <> RCA; 5,0 mm	Black	15m	10 / 20	1145,- K č
00316315	4001985511365	RCA <> RCA; 5,0 mm	Black	15m	10 / 20	1145,- Kč

Digital opto

REFERENZ

OPTICAL CABLE OP-102

The optical digital cable consists of high-quality nylon fiber and has precisely fitting solid metal plugs. Ideal for connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers, etc.



Precisely fitting solid metal conductor

Reduced jitter

Dust cover

Nylon fiber

4-fold protection

PE network Jacket

0





		IOS LINK IOS LINK				
OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0071201	4001985506477	Toslink <> Toslink; 8,0 mm	Black	1,0m	15 / 15	1749,- Kč
0071202	4001985506484	Toslink <> Toslink; 8,0 mm	Black	2,0m	15 / 15	2072,- K č
0071203	4001985506491	Toslink <> Toslink; 8,0 mm	Black	3,0m	15 / 15	2449,- K č
0071205	4001985506507	Toslink <> Toslink; 8,0 mm	Black	5,0m	9 / 9	3257,- K č
0071210	4001985506521	Toslink <> Toslink; 8,0 mm	Black	10,0m	6 / 6	5031,- K č
0071212	4001985506538	Toslink <> Toslink; 8,0 mm	Black	12,0m	6 / 6	5785,- K č
0071215	4001985506545	Toslink <> Toslink: 8.0 mm	Black	15 0m	6 / 6	6808 - Kč

♦ ♦ ♦ ♦ ♦ OPTICAL CABLE







The Premium Opto cable consists of high-quality nylonfiber and precisely itting Toslink plug. For connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers, etc.

- Precisely fitting Toslink plugs
- ★ Flexible
- Nylon fiber conductor
- High optical-fibre efficience



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0041201	4001985507962	Toslink <> Toslink	Blue/Silver	1,0m	30 / 60	1469,- K č
0041202	4001985507979	Toslink <> Toslink	Blue/Silver	2,0m	20 / 40	1667,- K č
0041203	4001985507986	Toslink <> Toslink	Blue/Silver	3,0m	15 / 30	1837,- K č
0041205	4001985507993	Toslink <> Toslink	Blue/Silver	5,0m	15 / 30	2232,- K č
0041210	4001985508006	Toslink <> Toslink	Blue/Silver	10,0m	10 / 20	3249,- K č

OPTICAL CABLE

The optical digital cable with standardised Toslink plugs for connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers, etc.



RoHS

konform



Precisely fitting Toslink plugs



Plastic fibre





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00312107	4001985511273	Toslink <> Toslink	Black	0,75m	30 / 60	363,- K č
00312115	4001985511280	Toslink <> Toslink	Black	1,5m	26 / 52	455,- K č
0031213	4001985511297	Toslink <> Toslink	Black	3,0m	20 / 40	537,- K č

€ € €

OPTICAL CABLE MINIPLUG

High-quality optical cable (fibre optic cable) with precisely fitting and standardised TOS link and miniplug connectors for safe and trouble-free connection of digital audio sources, such as from CD, DVD and Blu-ray players or game consoles, to an AV receiver. Typical applications are Apple TV, Apple Mac Pro and Apple Airport Express and other devices with a combined 3.5mm audio output (stereo headphone and optical digital in one socket).



Precisely fitting Toslink plugs





OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
003121071	4001985512706	Star Opto 3,5 Mini <> Toslink	Black	0,75m	363,- K č
003121151	4001985512713	Star Opto 3,5 Mini <> Toslink	Black	1,5m	455,- K č
00312131	4001985512720	Star Opto 3,5 Mini <> Toslink	Black	3,0m	537,- K č

PREMIUM

€ € €

OPTO-CONVERTER

Converter for adjusting devices with optical digital outputs to devices with coaxial input or vice versa. For instance, this allows a DVD player with an optical output to be connected to the coaxial input of an AV receiver.






OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
01040101	4001985401017	Coax > Toslink; 230V AC	metallic	Set of 1	10 / 20	1639,- Kč
01040102	4001985401024	Toslink > Coax; 230V AC	metallic	Set of 1	10 / 20	1780,- K č

♦ ♦ ♦ ♦ ♦ PREMIUM

OPTO-SPLITTER







VELKÉ BALENÍ OBJ. ČÍSLO CENA S DPH 01040100 4001985401000 Toslink > 2 x Toslink Black Set of 1 20 / 80 578,- Kč

Home HiFi accessories

REFERENZ

REFERENCE HIGH TECH GEL ABSORBER



High-end and hi-fi systems are a combination of highly precise and delicate devices. Perfectly attuned to each other, they allow music to be played back in outstanding quality. So that all components can work without interference, just like sensitive measuring equipment, they need to be kept free of vibrations and shocks as far as possible. Vibrations are caused in different ways and they can be transmitted by structure-borne and airborne noise. The combination of airborne and structure-borne noise causes all of the components of the hi-fi system to vibrate mechanically. Experiments have shown that this has a considerable impact



12 (3 x 4) Hightech Gel pads in the € set





Top and bottom part made from stainless steel

Covers four weight classes from 5 to 40 kg

Dimensions approx. 45 x 11.5 mm (D x H)

OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH EAN 4001985513116 Gel Absorber; ca. 45 x 11,5mm (DxH) 00719220 Set 6078,- Kč

STAR AUDIO DIGITAL CONVERTER (USB POWERED)






The Star Sudio Digital Converter converts digital ausio data into analog signals. Ist application range is by the optical (Toslink) and coaxial (RCA) input very universal. The converter can be used, for example, for the faint sound of a new flat-screen television on an older but sound quality hi-fi player. The stereo output provides to the usual line-level and can be connected, for example, to the AUX or ,TV input of the amplifier. Power supply using AC adapter or through USB.

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00315002	4001985512911	Star Audio D/A-Converter USB-Power	Black		1814,- Kč









Withstands up to 20 kg

Dimensions approx. 45 x 5mm (D x H)



Stainless steel brackets

With felt and adhesive pads

OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH 008560 4001985513123 Gel Absorber; ca. 45 x 5mm (DxH) Silver Set 1959,- Kč

♦ ♦ ♦ ♦ ♦ PREMIUM PHONO PREAMPLIFIER



The Premium Phono Pre-Amp is also suitable for the digitisation of record collectionor the digitisation of other analogue audio sources, such as cassette decks in conjunction with a PC.



A Phono Pre-Amp

Digitisation of analogue data

Switchable from Line In to Line Out

Compatible with MM and MC systems



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00415004	4001985509645	Premium Phono Pre-Amp incl. USB grabber	Set of 1	10 / 20	2201,- Kč

PREMIUM

⊕ ⊕ ⊕ ⊕ ⊕ ⊕ Record Slipcover



The good old record has a special meaning for many people, whether because of its rarity, its particular sound or the personal, sentimental value and emotional moments associated with it. The high-quality Premium Record Slipcover from in-akustik preserves these values. They protect the records from dust and other impurities. They are made of anti-static HDPE (high density polyethylene) that prevents electrostatic charge on the vinyl. This decreases the attraction of new dust particles and reduces crackling during play back. The special format offers a particular advantage. One side is rounded off meaning the record inner sleeves easily slide into LP covers and paper sleeves. This is


Antistatic

OBJ. ČÍSLO EAN VELKÉ BALENÍ CENA S DPH 004528005 4001985510191 Slipcover; 12" LPs, anti-static Set of 50 986,- Kč transarent

PREMIUM

♦ ♦ ♦

Record Cover Protection





325mm x 325mm

Transparent

Half-round fit

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
004528006	4001985510207	Cover Protection; 12" LP Cover	transarent	Set of 50	1029,- K č


PREMIUM

♦ ♦ ♦ ♦

Premium carbon-fibre record brush



A thin film of dust deposits on the record due to the static charge. This has an unfavourable effect on the sound and also increases wear on the record as the needle moves across the surface. This antistatic carbon-fibre brush, with more than a million extremely fine fibres, is especially effective at removing even the tiniest grains of dust and particles of dirt from the record grooves. The static charge is also greatly reduced. The result is an audibly improved sound experience and a longer life for your record collection.



Protective guard with stripping edge for cleaning the fibres

More than a million conductive carbon fibres

Reduces crackling noises



OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
004528001	4001985510023	Carbon-fibre record brush	Set of 1 10	321,- K č

⊗⊗⊗⊗⊗ Disk-Cleaner



The Disk-Clean cleaner was specifically designed for cleaning CDs, DVDs and Blu-rays. It removes dirt, fingerprints, etc., in a manner that is gentle, thorough and reliable. The environmentally friendly, antistatic ingredients prevent rapid re-soiling. Simply spray the surface of the disk, clean it with the included microfibre cloth with light pressure from the inside out, and then gently polish it.





Environmentally friendly ingredients



TÜV tested

Without propellant gas

ANTI-STATIC	
inklusive MICROFASERTUCH	

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč
004528004	4001985510184	Disk-Clean cleaning kit 50 ml; MF cloth	Set of 1	15	414,- Kč

REFERENZ

������ GAPRCA



The Reference GAP RCA is a high-end RCA plug with a balanced mass ratio of pin and ground ring. It is extremely low in capacitance and has an extremely durable rhodium $\bar{\text{lining}}$ and a "non-magnetic housing".



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00789206	4001985789238	Reference GAP RCA 60; 7,2 mm	Black/Grey	bulk	1000	457,- Kč
00789208	4001985789221	Reference GAP RCA 80; 8,2 mm	Black/Grey	bulk	1000	457,- K č







The Excellence RCA plug is an elegant shape with unique technology. It can be crimped as well as soldered due to an additional ground contact and its special materials.



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
006500427	4001985500246	Cable extension: 8,0 mm	Black	bulk	259,- K č
006500427	4001985500246	Cable extension: 8,0 mm	Black	bulk	259,- K č
006500422	4001985500239	Cable extension: 8,0 mm	Red	bulk	259,- K č
006500422	4001985500239	Cable extension: 8,0 mm	Red	bulk	259,- K č
006500423	4001985500208	Cable extension: 8,0 mm	Yellow	bulk	259,- K č
006500423	4001985500208	Cable extension: 8,0 mm	Yellow	bulk	259,- K č
006500425	4001985500406	Cable extension: 8,0 mm	Green	bulk	259,- K č
006500425	4001985500406	Cable extension: 8,0 mm	Green	bulk	259,- K č



RCA plugs for easy assembly. Suitable for the 75 Ohm Excellence HDTV antenna cable, and also suited for connecting e.g. video and digital

(some subwoofer cables too) in individual lengths or for installing empty conduits etc.



→ 7 mm cable extension

Easy twist-on assembly

Solid metal plug

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
006500437	4001985502639	RCA plug Twist-On 7mm	Black	bulk	104,- Kč
006500437	4001985502639	RCA plug Twist-On 7mm	Black	bulk	104,- Kč
006500432	4001985502646	RCA plug Twist-On 7mm	Red	bulk	104,- Kč
006500432	4001985502646	RCA plug Twist-On 7mm	Red	bulk	104,- Kč
006500433	4001985502653	RCA plug Twist-On 7mm	Yellow	bulk	104,- Kč
006500433	4001985502653	RCA plug Twist-On 7mm	Yellow	bulk	104,- Kč

PREMIUM ♦ ♦ ♦ ♦ ⊗



RoHS

Solid XLR plug/coupling for perfectly symmetrical connections.

U					
OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
0083331	4001985833313	XLR (m)	Silver	Bulk	292,- K č
0083332	4001985833320	XLR (w)	Silver	Bulk	292,- K č





The 24c duplex gold-plated tandard RCA plug is colour-coded, kink protection and strain relief.



OBJ. ČÍSLO	EAN			VELKÉ	ÉBALENÍ	CENA S DPH
008110	4001985811007	Cable extension: 8,0 mm	Black/Red	bulk		145,- K č

PREMIUM ♦ ♦ ♦

RCA F- UND Y-ADAPTER



The Premium RCA F and Y adapters enable a signal to be split to two audio cables. The adapters are 24c duplex gold-plated and are colourcoded for the left and right ducts.



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0080421	4001985804214	F-Adapter; RCA $> 2 \times RCA$ (f)	Gold	Set of 2	20 / 80	734,- Kč
0080431	4001985804313	Y-Adapter; RCA > 2 x RCA (f)	Gold	Set of 2	20 / 80	699,- K č

♦ ♦ ♦ ♦ ♦

RCA DOUBLE COUPLING

RoHS

The 24c duplex gold-plated Premium RCA dual coupling for extending audio cables.



 OBJ. ČÍSLO
 EAN
 VELKÉ BALENÍ
 CENA S DPH

 080951
 4001985809516
 RCA (f) <> RCA (f)
 Gold
 Set of 2
 20 / 80
 348,- Kč





The 24c duplex gold-plated Premium RCA dual coupling for extending audio cables.

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0080581	4001985500482	Stereo: RCA (f) <> RCA (f)	Gold	Set of 1	20 / 80	225 K č

RCA JACK ADAPTER



Solid, gold-plated 3.5 mm stereo phone plug adapter with two RCA jacks (left & right)



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0081381	4001985813810	3,5 mm Phone Plug $>$ 2 x RCA (f)	Black	Set of 1	20 / 80	263,- K č

PIC 40 & PLATE 40



The solid sub-frequency absorber for linking devices and speakers to one place and reducing vibration. It can be adjusted and has adhesive pads. Plate 40 is a correctly-sized disc for protecting the surface of where the device stands.




OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00719201	4001985506873	Pic; 36 x 30 mm (D x H)	White/Blac	Set of 4		1915,- K č
00719211	4001985506880	Plate; 30 x 5 mm (D x H)	Black	Set of 4	300	1351,- K č

♦ ♦ ♦ ♦ ♦

PIC & PLATE MAXI







OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
008480	4001985848003	Pic; 36x30 mm (D x H)	Gold	Set of 4	50	1285,- K č
0084807	4001985848072	Pic; 36x30 mm (D x H)	Black	Set of 4	50	1087,- Kč
008481	4001985848102	Pic; 36x24 mm (D x H)	Gold	Set of 4		1019,- Kč
008484	4001985848409	Plate; 30x5 mm (D x H)	Gold	Set of 4	100	530,- K č
0084847	4001985848478	Plate; 30x5 mm (D x H)	Black	Set of 4	20 / 80	584,- Kč

STAR ★ ★ ★ ★ ★

PLATE MINI

 $The simple sub-frequency \ absorber \ for \ linking \ devices \ and \ speakers \ to \ one \ place \ reduces \ vibrations.$









OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
008499	4001985849901	Plate; 17 x 3 mm (D x H)	Chrom	bulk	49,- Kč
0084991	4001985849918	Plate; 17 x 3 mm (D x H)	Black	bulk	49,- Kč
0084992	4001985849925	Plate; 17 x 3 mm (D x H)	Messing	bulk	49,- Kč

EXZELLENZ

BOLIDE ABSORBERS



The Excellence bolide shock absorber consists of a special rubber compound and a sophisticated in design for optimum damping of vibration between the devices and the standing position.





OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
008550	4001985550005	Diameter: 8,5 cm	Chrom	Set of 4	2119,- K č

PREMIUM

♦ ♦ ♦ ♦

DOUBLETTE



The Premium doublette in sandwich design consists of metal discs and special rubber for optimum vibration damping between the devices and the standing position.





OBJ. ČÍSLO	EAN		v	VELKÉ BALENÍ	CENA S DPH
008500	4001985850907	Diameter: 5.5 cm	Chrom Set of A		1042 - Kč

★ ★ ★ ★ ★ ★ MINI ABSORBER



The sub-absorber made from a special rubber compound for optimum damping of vibration between the devices and the standing position.





OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
008508	4001985850808	Diameter: 4,0 cm	Chrom	Set of 4	741,- Kč





RoHS conform silver solder with a high content of silver and excellent flow capacities. A perfect electrical connection and corrosion prone contact is achieved.

OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
010291	4001985291007	Special-solder, lead-free, 100 g	bulk	1254,- Kč

PREMIUM ♦ ♦ ♦ ♦

Premium Cable Conduit



Hi-fi, TV and computer devices have to be connected with a great many signal and power cables. These cables can often impair the appearance or become trip hazards. This high-quality fabric cable conduit allows cables to be bundled together in an attractive manner. The conduit has been designed so that it can accommodate power cables with large (Schuko) plugs. It can be cut to the required length conveniently with a pair of scissors. One notable feature is that the fabric at the ends does not fray as easily as other conduits.













OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
009210032	4001985514649	Premium Kabelschlauch 25-38mm	Grey	38m	1 spool	278,- Kč

PREMIUM ♦ ♦ ♦ €

Premium Slitted Cable Conduit



Hi-fi, TV and computer devices have to be connected with a great many signal and power cables. These cables can often impair the appearance or become trip hazards. This high-quality fabric cable conduit allows cables to be bundled together in an attractive manner. The conduit is slitted and rolls together in an overlapping manner of its own accord. This means that the cables do not need to be pushed through the conduit but can be conveniently inserted in the conduit over its entire length.



Nominal diameter: 19 mm





Rolls together in an overlapping manner of its own accord

Legnth: 38 m


OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
000210710	4001085514656	Premium clitted cable conduit 10 mm	Rlack	38m	1 spool	/151 - Kč

REFERENZ

POWER BAR AC-2502-SF8

3 x 2.5 mm² cable, mylar foil shielded











- Foil shielding and additional shielding wire
- In-Plug Filter in the AC plug; 2Y-Filter in the power bar
- Power bar (8 mm²) for even power distribution
- Fully shielded metal housing



OBJ. ČÍSLO	EAN				VELKE BALENI	CENA S DPH
00716402	4001985506736	8 (6+2) x Schuko 16A; 3 x 2,5 mm ²	Black	1,5m	1 / 1	17238,- K č
00716403	4001985506743	8 (6+2) x Schuko 16A; 3 x 2,5 mm ²	Black	3,0m	1 / 1	18489,- K č



REFERENZ

The Reference power bars filter unwanted interference out of the power supply, without introducing additional source impedance. Thanks to the use of high-quality materials and excellent workmanship, they provide maximum dynamics, even for extreme loads. Their full shielding and special filters prevent radio frequencies from being received. Solid power bars in the power strips distribute the power homogeneously to all outlets.





3 x 2.5 mm² cable, mylar foil shielded

- Foil shielding and additional shielding wire
- In-Plug Filter in the AC plug; 2Y-Filter in the power bar
- distribution Fully shielded metal housing

Power bar (8 mm²) for even power




OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00716302	4001985506712	8 x Schuko 16A; 3 x 2,5 mm ²	Black	1,5m	1 / 1	13645,- K č
00716303	4001985506729	8 x Schuko 16A; 3 x 2,5 mm ²	Black	3,0m	1 / 1	14884,- K č

REFERENZ

♦ ♦ ♦ ♦ ♦ POWER BAR AC-1502-P6







3 x 1.5 mm² cable, mylar foil shielded

Foil shielding and additional shielding wire

In-Plug Filter in the AC plug; 2Y-Filter in the power bar

Power bar (8 mm²) for even power distribution




Fully shielded metal housing

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00716202	4001985506699	6 x Schuko 16A; 3 x 1,5 mm ²	Black	1,5m	1 / 1	11492,- Kč
00716203	4001985506705	6 x Schuko 16A; 3 x 1,5 mm²	Black	3,0m	1 / 1	13520,- K č

POWER BAR AC – 25.6







→ 3 x 2,5 mm2 cable | 1,65m

230 V AC nominal voltage



OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
006170615	4001985512478	Power har AC-25-6	Δlu/Δnthra 1.65m	5269 - KČ

REFERENZ

♦ ♦ ♦ ♦ ♦ MAINS CABLE AC-1502



The Reference mains cable ensures a stabile and clean supply of power. The shielding provides reliable protection from interference and the innovative in-plug filter provides additional decoupling for the equipment.





- Additional shielding wire (CU tinplated; 1 x 1.5 mm²)
- A Phase markings



PE network jacket

Ferrite filter in the plug (in-plug filter)

★ Conforms to VDE and CE



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00716101	4001985506651	Schuko > IEC Plug; 3 x 1,5 mm ²	Black	1,0m	15 / 15	5172,- K č
00716102	4001985506668	Schuko > IEC Plug; 3 x 1,5 mm ²	Black	1,5m	15 / 15	5352,- K č
00716103	4001985506675	Schuko > IEC Plug; 3 x 1,5 mm ²	Black	3,0m	9 / 9	6592,- K č
00716105	4001985506682	Schuko > IEC Plug; 3 x 1,5 mm ²	Black	5,0m	1/1	8169,- Kč

REFERENZ

MAINS CABLE AC-2502F & 1502F

The Reference mains cable ensures a stabile and clean supply of power. The shielding provides reliable protection from interference.





Additional shielding wire (CU tin-plated; $1 \times 1.5 \text{ mm}^2$)

PE network jacket

3 x 1,5 mm² (AC-1502F)

3 x 2,5 mm² (AC-2502F)

Conforms to VDE and CE



Foil shielding

OBJ. ČÍSLO	EAN	74.5.1			VELKÉ BALENÍ	CENA S DPH
00762512	4001985762514	AC-2502F; 3 x 2,5 mm ² ; 13,0 mm	Black	10m	1 / 1**	6498,- K č
00762522	4001985762521	AC-2502F; 3 x 2,5 mm ² ; 13,0 mm	Black	20m	1 / 1**	12653,- K č
00762552	4001985625529	AC-2502F; 3 x 2,5 mm ² ; 13,0 mm	Black	50 m		615,- K č
00761512	4001985761517	AC-1502F; 3 x 1,5 mm ² ; 11,0 mm	Black	10m	1 / 1**	4097,- Kč
00761522	4001985761524	AC-1502F; 3 x 1,5 mm ² ; 11,0 mm	Black	20m	1 / 1**	8165,- K č

REFERENZ

♦ ♦ ♦ ♦ ♦ SCHUKO PLUG AC-P1

The Reference Schuko AC-S1 socket has solid screw terminals and large, gold-plated contact surfaces. This reduces the transmission resistance and ensures more dynamism.





High End Schuko plug

Solid design

Suitable for AC-1502F & AC-2502F



Solid screw connections

Includes installation kit and ferrite filter (in-plug filter)

Conforms to VDE and CE



OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH 007625991 4001985762538 3 x 2,5 mm²; 16A; Ferrit Filter 1717,- Kč Black Set of 1 1/1

Power cable / sockets

REFERENZ

♦ ♦ ♦ ♦ ♦ POWER CABLE AC-2502M

The power cable for fixed installations with dense, woven screening provides protection from radio frequencies right from the fusebox. A direct connection from the fusebox to the power outlet, without diversions or additional loads improves the dynamics.





007622502

3 x 2,5 mm²

Extra conductor for shielding

For fixed installation only



Braided shielding

Solid core

★ Conforms to VDE and CE



OBJ. ČÍSLO EAN

4001985622306

3 x 2,5 mm²; 14 mm

50m

VELKÉ BALENÍ

CENA S DPH 382,- K**č**

Amplifiers

PREMIUM

* * * * * *

HEADPHONE AMP NO.1





The headphone outputs of mobile devices such as smartphones, tablets and laptops are not usually very powerful. This often impairs audio quality. The Premium Headphone Amp No. 1 takes the strain off of the device outputs. Its high-quality analogue amplifiers are optimally tuned to each other. They drive and control the connected headphones with exceptional accuracy and provide greater volume, dynamics and precision. In addition, the unit also protects the battery of the mobile device and increases its service life. The Premium Headphone Amp No. 1 also has a high-quality digital/analogue converter to replace the integrated, usually basic, sound cards of devices such as PCs and laptops.

- Two headphones jacks
- ★ Integrated USB Digital Analog Converter
- Black brushed aluminium housing

- * Integrated USB Digital Analog Converter
- Latest chip technologies
- Super-flat design (13 mm)

OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
00415005	4001985511792	Phone Plug; USB A $<>$ 2 x Phone Plug	Set of 1	7830,- K č

PREMIUM

(*) (*) (*) (*) (*)

HEADPHONE AMP NO.2





The headphone outputs of laptops and PC's are not usually very powerful. This often impairs audio quality. Der Premium Headphone Amp No. 2 has a high-quality digital/analogue converter to replace the integrated, usually basic, sound cards of devices such as PCs and laptops. Its high-quality analogue amplifiers are optimally tuned to each other. They drive and control the connected headphones with exceptional accuracy and provide greater volume, dynamics and precision.

Also suitable for high-impedance $(\!\star\!)$

Compact design

- headphones
- Power supply via USB
- Rubberised plastic housing
- Compatible with Windows XP, Vista, Windows 7/8
- A Latest chip technologies

OBJ. CISLO	EAN		VELKE BALENI	CENA S DPH
00415006	4001985511808	USB A <> Phone Plug	Set of 1	3540,- K č

iPlug cable

PREMIUM




Premium iPlug lightning cable



iPlug cable for data exchange between Apple devices and PCs, laptops, etc., and charging cable for Apple mobile components like iPod, iPhone or oPad. Due to large conductor cross sections, also especially suitable for the high charging currents of the iPad. The double shielding (foil and mesh braiding) protects against outside interference and ensures unhindered signal transport. Many low-cost cable can only be used as charging cable. Data exchange is not possible with these cables! The Premium iPlug Lightning cables from in-akustik are equipped with the original chip and MFI licensed.



Double Shielding





Gold-plated contacts

BiPod □iPhone □iPad

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00440201	4001985511761	Apple Lightning > USB A	White	1,0m	750,- K č
00440202	4001985511778	Apple Lightning > USB A	White	2,0m	863,- K č
00440203	4001985511785	Apple Lightning > USB A	White	3,0m	1004,- Kč

PREMIUM

€ € €

Premium iPlug USB-/AV Cable



This high-quality cable is especially designed for all mobile Apple products. The cable has a USB, a video and a stereo audio connection. The USB port can be used for transferring data between a PC, laptop, iMac etc. as well as charger for mobile Apple components. It is designed with a large cross-section especially for the high charging current of the iPad. Pictures and sound can be played on a TV or stereo system using the audio and video port. The cable has a film shield to protect against external interference and low-loss signal transfer.



24c gold-plated contacts

foil shield



High-quality metal plug

Elegant braided sheath

Mode for ☐iPod ☐iPhone ☐iPad

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00440101	4001985507405	Apple <> USB I RCA Audio & Video	white	1 m	15 / 30	2120,- Kč
00440102	4001985260409	Apple <> USB I RCA Audio & Video	white	2 m	15 / 30	2386,- K č

������ ⊗ ★ Premium iPlug USB Cable



795,- K**č**

909,- Kč

This high-quality USB connection cable is especially designed for mobile Apple products and used for transferring data between a PC, laptop, iMac etc. and as a charging cable for mobile Apple components. It is designed with a large cross-section especially for the high charging current of the iPad. The high-quality cable features a metal connector for a secure and stable hold on the output sockets. It also features a film shield to protect against external interference as well as low-loss signal transfer and has an attractive textile coating.





24c gold-plated contacts

High-quality metal plug



foil shield

OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH 00440001 4001985507382 Apple <> USB white 1 m 15 / 30 00440002 4001985507399 15 / 30

Elegant braided sheath

MP3 audio cable

PREMIUM ♦ ♦ ♦

MP3 AUDIO CABLE

Apple <> USB



Double-shielded MP3 audio cable with rich-in-sound solid conductors for connecting an MP3 player (iPod), a laptop or PC to an amplifier or AV

white

2 m















OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
004100015	4001985507887	3,5mm Mini Jack > 2 x RCA	White/Silve	1,5m	30 / 60	578,- K č
00410003	4001985507894	3,5mm Mini Jack > 2 x RCA	White/Silve	3,0m	20 / 40	734,- K č
00410005	4001985507900	3,5mm Mini Jack > 2 x RCA	White/Silve	5,0m	15 / 30	993,- K č

PREMIUM

♦ ♦ ♦

MP3 AUDIO CABLE



Double-shielded MP3 audio cable with rich-in-sound solid conductors for connecting an MP3 player (iPod), a laptop or PC to an amplifier or ΑV receiver









Solid conductors

24c gold-plated contacts




OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
004101005	4001985510269	3,5mm Mini Jack <> 3,5mm Mini Jack	White/Silve	0,5m	40 / 80	496,- K č
0041010075	4001985510276	3,5mm Mini Jack <> 3,5mm Mini Jack	White/Silve	0,75m	40 / 80	526,- K č
004101015	4001985507917	3,5mm Mini Jack <> 3,5mm Mini Jack	White/Silve	1,5m	30 / 60	578,- K č
00410103	4001985507924	3,5mm Mini Jack <> 3,5mm Mini Jack	White/Silve	3,0m	20 / 40	734,- K č

PREMIUM

♦ ♦ ♦

PREMIUM MP3 JACK CABLE 90°













Gold-plated contacts

Stereo

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
004104005	4001985511969	3,5mm Phone <> 3,5mm Phone	White/Silve	0,5m	496,- Kč
0041040075	4001985511976	3,5mm Phone <> 3,5mm Phone	White/Silve	0,75m	526,- K č
004104015	4001985511983	3,5mm Phone <> 3,5mm Phone	White/Silve	1,5m	578,- K č
00410403	4001985511990	3,5mm Phone <> 3,5mm Phone	White/Silve	3,0m	699,- Kč

MP3 AUDIO CABLE

The Star MP3 audio cable for connecting MP3 players (iPods), laptops or PCs to an amplifier, AV receiver or car radio with RCA jacks sockets.





Mini 3.5 mm stereo phone plug

24c gold-plated contacts

Foil shielding







OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
003100005	4001985501335	3,5 Phone Plug > 2 x RCA	White	0,5m	30 / 60	211,- K č
0031000075	4001985501342	3,5 Phone Plug > 2 x RCA	White	0,75m	30 / 60	220,- K č
003100015	4001985501359	3,5 Phone Plug > 2 x RCA	White	1,5m	30 / 60	244,- K č
00310003	4001985501366	3,5 Phone Plug > 2 x RCA	White	3,0m	30 / 60	291,- K č
00310005	4001985501373	3,5 Phone Plug > 2 x RCA	White	5,0m	15 / 30	350,- K č
00310007	4001985501380	3,5 Phone Plug > 2 x RCA	White	7,0m	15 / 30	428,- K č
00310010	4001985501397	3,5 Phone Plug > 2 x RCA	White	10,0m	15 / 30	508,- K č

MP3 AUDIO CABLE

The Star MP3 audio cable for connecting MP3 players (iPods), laptops or PCs to an amplifier, AV receiver or car radio with RCA jacks sockets.



KoHS

KoHS



Mini 3.5 mm stereo phone plug



24c gold-plated contacts







		(0	
2	c		v	IVE

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
003101005	4001985501403	3,5 Phone Plug <> 3,5 Phone Plug	White	0,5m	30 / 60	217,- Kč
0031010075	4001985501410	3,5 Phone Plug <> 3,5 Phone Plug	White	0,75m	30 / 60	224,- K č
003101015	4001985501427	3,5 Phone Plug <> 3,5 Phone Plug	White	1,5m	30 / 60	248,- K č
00310103	4001985501434	3,5 Phone Plug <> 3,5 Phone Plug	White	3,0m	30 / 60	295,- K č

STAR MP3 JACK CABLE 90°

Highly flexible audio cable with additional foil shield against external interference for the connection of portable devices (tablet PCs, MP3 players, etc.) to AV receivers. The gold-plated contacts also improve signal transmission and minimise contact resistance.





High purity OFC-Copper





003104005 4001985511938 3,5mm Phone <> 3,5mm Phone White 0,5m 227,- Kč 0031040075 4001985511945 3,5mm Phone <> 3,5mm Phone White 0,75m 243,- Kč 003104015 4001985511952 3,5mm Phone <> 3,5mm Phone White 1,5m 256,- Kč	OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
	003104005	4001985511938	3,5mm Phone <> 3,5mm Phone	White	0,5m	227,- K č
003104015 4001985511952 3.5mm Phone <> 3.5mm Phone White 1.5m 256 Kč	0031040075	4001985511945	3,5mm Phone <> 3,5mm Phone	White	0,75m	243,- K č
, , , , , , , , , , , , , , , , , , , ,	003104015	4001985511952	3,5mm Phone <> 3,5mm Phone	White	1,5m	256,- K č

Headphone/Extension

PREMIUM (*) (*) (*)

HEADPHONE EXTENSION CABLE

Extension cable for headphones with double screening against external interference and a thick signal conductor for optimum sound characteristics. The textile braid gives the cable an elegant flair. The gold-plated contacts ensure lasting protection against corrosion. With 6.3 mm jack adapter.



Conductors made of high-purity OFC copper


24c gold-plated contacts

Foil shielding

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00410202	4001985510894	3,5 Phone Plug (m) -> 3,5 Phone Plug (w)	White/Silve	2,0m	30 / 60	668,- K č
00410203	4001985510900	3,5 Phone Plug (m) -> 3,5 Phone Plug (w)	White/Silve	3,0m	20 / 40	804,- K č
00410205	4001985510917	3,5 Phone Plug (m) -> 3,5 Phone Plug (w)	White/Silve	5,0m	15 / 30	1023,- K č
004102075	4001985510924	3,5 Phone Plug (m) -> 3,5 Phone Plug (w)	White/Silve	7,5m	10 / 20	1154,- K č
00410210	4001985510931	3,5 Phone Plug (m) -> 3,5 Phone Plug (w)	White/Silve	10,0m	10 / 20	1285,- K č

★★★★★★ HEADPHONE EXTENSION CABLE







★ Conductors made of high-purity OFC copper



24c gold-plated contacts





	\longleftrightarrow	
		0
3,5 mm KLINKENSTECKER		3,5 mm KLII

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
003105015	4001985503506	3,5 Phone Plug > 3,5 Phone Plug (f)	White	1,5m	30 / 60	255,- K č
00310503	4001985503513	3,5 Phone Plug > 3,5 Phone Plug (f)	White	3,0m	30 / 60	303,- Kč
00310505	4001985503520	3,5 Phone Plug > 3,5 Phone Plug (f)	White	5,0m	30 / 60	335,- K č

PREMIUM

♦ ♦ ♦ ♦ ♦

AUDIO ADAPTER



Y-splitter, for example for connecting two headphones or amplifiers. With double screening against external interferences and a thick signal conductor for optimum sound characteristics. The textile braid gives the cable an elegant flair. The gold-plated contacts ensure lasting protection against corrosion.



Conductors made of high-purity OFC copper



24c gold-plated contacts



OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH 20 / 80 00410212 4001985510948 3,5 Phone Plug <> 2 x 3,5 Phone Plug (f) White/Silve 0.2m 644,- Kč

AUDIO ADAPTER







Conductors made of high-purity OFC copper



24c gold-plated contacts



Foil shielding





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00310302	4001985210305	3,5 Phone Plug <> 2 x 3,5 Phone Plug (f)	White	10 cm	20 / 80	285,- K č

DLNA HDMI Stick

PREMIUM

★ ★ ★

DLNA HDMI STICK



With the premium DLNA receiver you can enjoy pictures, videos or your favourite music from your smart phone, tablet PC or laptop on your TV and hi-fi system. Comfortable, wireless and in first class quality thanks to WiFi/DLNA technology. The compact stick is easily connected to an HDMI input on your television set and powered with the cable included via a USB interface on the TV.



DLNA standard across all brands



WLAN build in



★ Compact HDMI stick



Power over USB

OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
00415100	4001985510122	Premium DLNA Audio-receiver	Set of 1 80	4078,- Kč

Internet TV Box

PREMIUM



INTERNET TV BOX







The Premium Android 4.2 TV box is a compact mini computer with Android 4.2 operating system as used in current smart phones and tablet computers. It transforms your television into a fully-fledged internet TV so you can surf the internet from the comfort of your sofa, use websites such as YouTube, Google etc., check your e-mails or stay in contact via Facebook. You can also share holiday photos and videos that are saved on your media server or PC/laptop with your friends and family in large format, either on the television or using a projector. Thousands of helpful and entertaining apps such as games, news and videos are available for you in the Google Play Store, which you can

- Android 4.2
- AV connections
- HDMI Connection
- Digital audio output (optical)

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00415200	4001985510139	Premium Internet TV Box Android 4.2	Set of 1	30	6116,- K č

Bluetooth Receiver

PREMIUM

♦ ♦ ♦

PREMIUM BLUETOOTH AUDIO RECEIVER





Enjoy your favourite music from your smart phone, tablet PC or laptop – as well as from your iPhone or iPad – conveniently and wirelessly on your high-end hi-fi system. Thanks to the special aptX technology, you can also enjoy first-class CD quality. The Premium Bluetooth Receiver supports all common standards such as A2DP and SBC and is compatible with almost all Bluetooth-capable devices regardless of brand. The Premium Bluetooth Receiver stores up to eight devices. Once these devices are paired with the receiver, they are automatically recognized again, allowing the connection to be more quickly reestablished.

₿ Bluetooth

- Play media content wirelessly on a hi-(*) fi system
- (x) In superb CD quality
- The Bluetooth Receiver stores up to ***** eight devices.
- Including optical output



OBJ. ČÍSLO VELKÉ BALENÍ CENA S DPH FAN 00415003 4001985509638 Set of 1 6 / 12 3795,- Kč Bluetooth Audio Receiver

MHL Adapter

PREMIUM



Premium MHL -> HDMI Adapter (RCP)



MHL (Mobile High Definition Link) is a standard defined by Nokia,, Toshiba and Silicon Image for connecting smartphones and tablet PCs to the TV. The MHL adapter is connected to the USB port of the mobile devices, and transmits video and audio signals in HD quality. In addition, the CEC function is supported







1080p (Full HD) | 24,30,60 Hz



HDTV compatibel

(*)

IR Remote | RCP Support



REFERENZ

HIGH SPEED USB 2.0



The Reference USB 2.0 cable has been designed especially for low-loss HD audio streaming. The data lines consist of fine, separately lacquerinsulated copper wires (high speed conductors). In combination with the high-quality materials, they reduce the jitter effects that particularly affect the sound quality when streaming audio data. Sensitive data is additionally protected by 4-fold shielding. Extremely generously proportioned cables for the power supply of e.g. external hard drives minimize voltage fluctuations.

- High speed data cable
- 4-layer shield
- Reference metal plug

- Special data cable insulation
- PE-Network Jacket
- Very low jitter



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007170075	4001985510610	USB A <> USB B	Black	0,75m		7420,- K č
007170015	4001985510627	USB A <> USB B	Black	1,5m		8347,- K č
00717003	4001985510634	USB A <> USB B	Black	3,0m		10084,- K č
00717005	4001985510641	USB A <> USB B	Black	5,0m	**	11814,- Kč
00717075	4001985510658	USB A <> USB B	Black	7,5m	**	14797,- K č
00717010	4001985510665	USB A <> USB B	Black	10,0m	**	17447,- K č
0071710075	4001985510672	USB A <> USB Mini B	Black	0,75m		7420,- K č
007171015	4001985510689	USB A <> USB Mini B	Black	1,5m	**	7950,- K č
00717103	4001985510696	USB A <> USB Mini B	Black	3,0m	**	9604,- K č
00717105	4001985510702	USB A <> USB Mini B	Black	5,0m	**	11814,- Kč
00717175	4001985510719	USB A <> USB Mini B	Black	7,5m	**	14797,- K č
00717110	4001985510726	USB A <> USB Mini B	Black	10,0m	**	17447,- Kč

PREMIUM

♦ ♦ ♦ ♦ ⊗

HIGH SPEED USB 2.0



The Premium high speed USB 2.0 cable transmits data quickly and reliably, for instance between an MP3 player, hard disk, camera, camcorder and DVD recorder, TV or PC. The USB 2.0 standard enables data transmissions with 480 Mbit/s.




24c gold-plated contacts

★ 480 Mbit/s transmission rate

High-quality shielding







OBJ. ČÍSLO	EAN	USB A USB B	USB A	WIIII		USB A Mini B VELKÉ BALENÍ	CENA S DPH
01070001	4001985700011	USB A <> USB B		Anthracite	1,0m	15 / 30	310,- K č
01070002	4001985700028	USB A <> USB B		Anthracite	2,0m	15 / 30	383,- K č
01070003	4001985700035	USB A <> USB B		Anthracite	3,0m	15 / 30	415,- K č
01070005	4001985700059	USB A <> USB B		Anthracite	5,0m	15 / 30	521,- K č
01070011	4001985700110	USB A <> USB Mini A		Anthracite	1,0m	15 / 30	295,- K č
01070012	4001985700127	USB A <> USB Mini A		Anthracite	2,0m	15 / 30	365,- K č
01070013	4001985700134	USB A <> USB Mini A		Anthracite	3,0m	15 / 30	396,- K č
01070015	4001985700158	USB A <> USB Mini A		Anthracite	5,0m	15 / 30	497,- Kč
01070021	4001985700219	USB A <> USB Mini B		Anthracite	1,0m	15 / 30	310,- K č
01070022	4001985700226	USB A <> USB Mini B		Anthracite	2,0m	15 / 30	383,- K č
01070023	4001985700233	USB A <> USB Mini B		Anthracite	3,0m	15 / 30	415,- K č
01070025	4001985700257	USB A <> USB Mini B		Anthracite	5,0m	15 / 30	521,- K č
01070031	4001985700165	USB A <> USB A Micro		Anthracite	1,0m	15 / 30	277,- K č
01070032	4001985700172	USB A <> USB A Micro		Anthracite	2,0m	15 / 30	309,- K č
01070033	4001985700189	USB A <> USB A Micro		Anthracite	3,0m	15 / 30	350,- K č
01070035	4001985700196	USB A <> USB A Micro		Anthracite	5,0m	15 / 30	457,- K č
01070041	4001985700066	USB A <> USB B Micro		Anthracite	1,0m	15 / 30	291,- K č
01070042	4001985700073	USB A <> USB B Micro		Anthracite	2,0m	15 / 30	324,- K č
01070043	4001985700080	USB A <> USB B Micro		Anthracite	3,0m	15 / 30	367,- K č
01070045	4001985700097	USB A <> USB B Micro		Anthracite	5,0m	15 / 30	480,- K č

€ € €

FIREWIRE CABLE







24c gold-plated contacts

★ 400 Mbit/s transmission rate

High-quality shielding



4p
















		4p 4p	4p	6р		6p 6p	
OBJ. ČÍSLO	EAN					VELKÉ BALENÍ	CENA S DPH
01071002	4001985710027	4p <> 4p		Anthracite	2,0m	40 / 80	417,- Kč
01071003	4001985710034	4p <> 4p		Anthracite	3,0m	40 / 80	553,- K č
01071101	4001985701018	4p <> 6p		Anthracite	1,0m	40 / 80	297,- K č
01071102	4001985701025	4p <> 6p		Anthracite	2,0m	40 / 80	417,- Kč
01071103	4001985701032	4p <> 6p		Anthracite	3,0m	40 / 80	553,- K č
01071105	4001985701056	4p <> 6p		Anthracite	5,0m	10 / 40	793,- K č
01071201	4001985712014	6p <> 6p		Anthracite	1,0m	40 / 80	297,- K č
01071202	4001985712021	6p <> 6p		Anthracite	2,0m	40 / 80	417,- Kč
01071203	4001985712038	6p <> 6p		Anthracite	3,0m	40 / 80	553,- K č


CAT6 cable

REFERENZ

REFERENZ NETWORK CABLE CAT7







Foamed PE lead insulation

Data pairs equipped with separate foil shielding

Common braided shield

PE-Network Jacket





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
007150075	4001985508723	RJ45 <> RJ45; SF-UTP	Black/Whit	0,75m		4945,- K č
00715015	4001985508730	RJ45 <> RJ45; SF-UTP	Black/Whit	1,5m		5283,- K č
0071503	4001985508747	RJ45 <> RJ45; SF-UTP	Black/Whit	3m		5962,- K č
0071505	4001985508754	RJ45 <> RJ45; SF-UTP	Black/Whit	5m	**	6808,- K č
00715075	4001985508761	RJ45 <> RJ45; SF-UTP	Black/Whit	7,5m		7882,- K č
0071510	4001985508778	RJ45 <> RJ45; SF-UTP	Black/Whit	10m	**	8956,- K č
0071515	4001985508785	RJ45 <> RJ45; SF-UTP	Black/Whit	15m	**	11166,- K č

PREMIUM

0071520

♦ ♦ ♦

4001985508792

CAT6 PATCH CABLE

RJ45 <> RJ45; SF-UTP





13284,- Kč

The flexible network cable in category 6 in the SF-UTP design has an overall braided and foil shielding and high-quality AWG24 copper wires.

Black/Whit

20m



2-fold shielding

Massive data conductors (AWG 24)

Separating cross between the twisted pairs

Fitted with RJ-45



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
004803005	4001985507726	RJ45 <> RJ45; SF-UTP; AWG 24	Blue/Silver	0,5m	15 / 30	248,- Kč
00480301	4001985507733	RJ45 <> RJ45; SF-UTP; AWG 24	Blue/Silver	1,0m	15 / 30	295,- K č
00480302	4001985507740	RJ45 <> RJ45; SF-UTP; AWG 24	Blue/Silver	2,0m	15 / 30	399,- K č
00480303	4001985507757	RJ45 <> RJ45; SF-UTP; AWG 24	Blue/Silver	3,0m	15 / 30	462,- K č
00480305	4001985507764	RJ45 <> RJ45; SF-UTP; AWG 24	Blue/Silver	5,0m	10 / 20	741,- Kč
00480308	4001985507771	RJ45 <> RJ45; SF-UTP; AWG 24	Blue/Silver	8,0m	10 / 20	1039,- K č

♦ ♦ ♦ ♦ ♦ CAT6 ON SPOOL



Network cable in category 6 in SF-UTP quality (Screened and Foiled Twisted Pair) for fixed installations with AWG24 copper conductors. Compared to the assembled cable this cable has a PVC jacket for an easy installation and laying.



SF-UTP (separate braided and foil shielding)

4 twisted pairs

AWG24 sopper conductors

Separating cross between the twisted pairs

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
004803000	4001985008308	CAT6; AWG24; SF-UTP	Anthracite	100m	113,- K č

PREMIUM

♦ ♦ ♦ ♦

CAT6 ACCESSORIES



The RJ-45 network plug with 24c gold-plated contacts, as well as insulation cover and the right crimping tool for custom-connections.



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
004890000	4001985724246	RJ-45 CAT5/6 Plug; 8P8C		bulk	3000	25,- K č
004890002	4001985724321	Crimp gripper		bulk	3000	589,- K č
00489022	4001985724291	CAT5/6 insulation grommet	Red	bulk	3000	16,- K č
00489023	4001985724277	CAT5/6 insulation grommet	Yellow	bulk	3000	16,- K č
00489024	4001985724284	CAT5/6 insulation grommet	Blue	bulk	3000	16,- K č
00489025	4001985724260	CAT5/6 insulation grommet	Green	bulk	3000	16,- K č
00489027	4001985724307	CAT5/6 insulation grommet	Black	bulk	3000	16,- K č
00489028	4001985724253	CAT5/6 insulation grommet	Anthracite	bulk	3000	16,- K č

VGA cable

PREMIUM



VGA CABLE



The high-quality VGA cable with separate shielded signal conductors has an additional overall screening. Robust, moulded plugs with goldplated contacts provide the best possible contact. The ferrite core in the ends of the cables protect against electrical interference. For instance, it is ideal for connecting a PC or laptop to a TV or projector.



Separately shielded signal wire




Ferrite cores

Additional shielding of all conductors



Robust connectors with gold plated
















		VGA männlich	VGA weiblich	VGA männlich	VGA männlich		7	
OBJ. ČÍSLO	EAN	VQA IIGIIIIQI	VOA Wellii(II	VON INSIIIIOI	VOA IIIIIIIIIII		Meterware VELKÉ BALENÍ	CENA S DPH
01053501	4001985535033	VGA	A (m) > 5 RCA		Anthracite	1,0m	10 / 40	490,- K č
01053502	4001985535040	VGA	A (m) > 5 RCA		Anthracite	2,0m	10 / 40	660,- K č
01053505	4001985535057	VGA	A (m) > 5 RCA		Anthracite	5,0m	10 / 20	1008,- K č
01053510	4001985535064	VGA	A (m) > 5 RCA		Anthracite	10,0m	5	1821,- K č
01054505	4001985545025	VGA	λ (m) > VGA (m)		Anthracite	5,0m	10 / 20	1092,- K č
01054510	4001985545032	VGA	A(m) > VGA(m)		Anthracite	10m	5	1992,- K č
01055502	4001985550913	VGA	A(f) > VGA(m)		Anthracite	2,0m	10 / 40	672,- K č

⊗ ⊗ ⊗ ⊗ ⊗ ⊕ HDMI 2.0 OPTICAL FIBER CABLE | UP TO 100M









Fibre optic technology

- Supports HDMI 2.0 with 18 Gbps

Supports HDCP 2.2

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
009241020	4001985514595	Profi HDMI2.0 optical fiber cable 18Gbps	Anthracite	20m	26933,- K č
009241030	4001985514601	Profi HDMI2.0 optical fiber cable 18Gbps	Anthracite	30m	28972,- K č
009241050	4001985514618	Profi HDMI2.0 optical fiber cable 18Gbps	Anthracite	50m	34230,- K č
009241070	4001985514625	Profi HDMI2.0 optical fiber cable 18Gbps	Anthracite	70m	38307,- K č
009241100	4001985514632	Profi HDMI2.0 optical fiber cable 18Gbps	Anthracite	100m	45604,- K č

PROFI HDMI INSTALLATION KIT

HDMI mounting and installation kit for the professional user



RoHS



10 x Profi HDMI Plug IDC

1 x HDMI Tester

1 x Profi HDMI crimping tool

1 x assembly instruction


OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
00924901	4001985508952	Profi HDMI Installation Kit	Set	15390,- K č


EXZELLENZ

⊕ ⊕ ⊕ ⊕ ⊕ ⊕ PROFI HIGH SPEED HDMI PLUG IDC



RoHS





Metal housing

24c gold-plated contacts

Supports EDID




★ Strain-relief

OBJ. CISLO	EAN		VELKE BALENI	CENA S DPH
00924001	4001985508020	Profi HDMI® Plug IDC	bulk	411,- Kč

HDMI/CAT Extender

⊕ ⊕ ⊕ ⊕ ⊕ HDMI TCP/IP EXTENDER SET







Supports a bandwidth of 3 x 1.65 Gbps / 165 MHz

EDID, HDCP compatible

CAT connections according to IEEE-568B

Uses the TCP/IP standard protocol

Supports 1080p (Full HD); 50/60 Hz

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
009120013	4001985508112	1 x Sender: 1 x Receiver	White	Set of 1	10276 K č

⊗⊗⊗⊗⊗ HDMI / CAT6 EXTENDER Set







The excellent HDMI CAT Extender Set converts and transmits HDMI signals using just one CAT cable. The cable length can be up to 100 m*. This extender can be used with existing network cables in the building. Time consuming and expensive cable extensions are not necessary. In addition, standard CAT cables and plugs can be used to make and install individual cable lengths. The set consists of two converter modules (HDMI CAT / CAT HDMI) sender /receiver and two power supply units.

- HDMI via just one CAT
- Supports 10,2 Gbps (High Speed)

- Supports 3D video format



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
009120012	4001985505241	HDMI -> CAT -> CAT -> HDMI	Black	Set of 2	22128,- Kč

HDMI Tester

⊗ ⊗ ⊗ ⊗ ⊗ HDMI CABLE TESTER

The Excellence HDMI Cable Tester (HDMI = High Definition Multimedia Interface) is designed to check the pin connections of HDMI cables, and to correct any errors. It is ideal for checking the passage of the individual wires of an HDMI cable before it is connected to the equipment.





- Separate main and remote unit
- Auto power on, ease of use
- Incl. carrying case

- Review of the signals of all pins of HDMI cable
- LED indicator on both the main unit and on the remote

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
009920001	4001985503537	Separate main and remote unit	Anthracite	Set of 1	5900,- K č

jacks

PREMIUM

HDMI DOUBLE COUPLING

HDMI double coupling for connecting two HDMI cables. The two screw straps make it suitable for front panel installation as well. This allows prefabricated HDMI cables to be used and makes installation easier.





- 24c gold-plated contacts
- With assembly straps
- HDMI (f) <--> HDMI (f)
- Angled at 90° or straight







HDMI



PREMIUM

(*) (*) (*)

HDMI DOUBLE COUPLING WITH CABLE

The Premium HDMI double coupling with cable has a round jack and a screw thread with nut. A simple drill hole with a subland twist drill is all that is needed for installation (e.g. into front panels). Complicated square mouldings are not required. This allows a clean and time-saving installation.



CENA S DPH

333.- Kč

333,- Kč



- 24c gold-plated contacts
- With 25cm cable
- ★ HDMI (f) <--> HDMI (f)
- For round assembling openings (Ø 23 mm)





	\longleftrightarrow	
HDMI		HDM

OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
0090202025	4001985307548	HDMI (f) <> HDMI (f); 25 cm	bulk	100	420,- K č
0090203025	4001985307555	HDMI (f) <> HDMI (f); 25 cm (round)	bulk	200	443,- K č

♦ ♦ ♦ ♦

VGA PANEL JACK

15 pin VGA (SUB-D) socket with soldered connections and gold-plated contacts.





24c gold-plated contacts

3-rows

★ Soldered connection

OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
0090601000	4001985307562	VGA SUB-D 15p. (f); solderable	bulk	186,- Kč

PREMIUM 😸 🤄

♦ ♦ ♦ ♦

VGA DOUBLE COUPLING WITH CABLE

VGA double coupling with 25 cm cable. A socket can be installed with two screw straps (e.g. in a front panel). This allows prefabricated cables to be used and makes installation easier.





24c gold-plated contacts

→ 3-rows

★ 15-pin

With 25 cm cable

OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
0090602025	4001985307579	VGA SUB-D 15p. (f) <> (f); 25 cm	bulk 100	159,- K č

EXZELLENZ 😸 🟵 🛠 🏵 🏵

SPEAKER TERMINAL

Solid connection terminals for speaker cable with gold-plated contacts. The cable is connected via screw contacts when installing. The terminal is suitable for banana plugs, spade lugs or for direct uptake of cables.







24c gold-plated contacts

For cables up to 6.0 mm²

Fully-insulated

Banana and spade lug compatible

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0091001002	4001985307685	For Bananas and Spade Lug	Red	bulk	1000	338,- K č
0091001007	4001985307692	For Bananas and Spade Lug	Black	bulk	1000	338,- K č

PREMIUM

(A) (A) (A) (A) (A) (A)

RCA PANEL JACK

High-quality RCA panel jacks in a solid design with gold-plated contacts and soldered connections. Available in ive different colour codings.





24c gold-plated contacts

Soldered connection

For 8 / 9.5 mm drill holes

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0090801002	4001985307586	RCA-Panel Jack	Red	bulk	1000	139,- K č
0090801007	4001985307593	RCA-Panel Jack	Black	bulk	1000	139,- K č
0090801003	4001985307623	RCA-Panel Jack	Yellow	bulk	1000	139,- K č
0090801004	4001985307616	RCA-Panel Jack	Blue	bulk	1000	139,- K č
0090801005	4001985307609	RCA-Panel Jack	Green	bulk	1000	139,- K č

♦ ♦ ♦ ♦ ♦

RCA DOUBLE COUPLING



High-quality RCA mounting double coupling with screw thread for installing in front panels, etc. Solid design with gold-plated contacts. Allows the use of prefabricated RCA cable inside the installation. Colour coding available in five different colours.





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
0090802002	4001985307630	$RCA(f) \ll RCA(f)$; with srew thread	Red	bulk	1000	150,- Kč
0090802003	4001985307678	$RCA(f) \ll RCA(f)$; with srew thread	Yellow	bulk	1000	150,- K č
0090802004	4001985307661	$RCA(f) \ll RCA(f)$; with srew thread	Blue	bulk	1000	150,- K č
0090802005	4001985307654	$RCA(f) \ll RCA(f)$; with srew thread	Green	bulk	1000	150,- K č
0090802007	4001985307647	RCA (f) \ll RCA (f); with srew thread	Black	bulk	1000	150,- K č

AV cover

PREMIUM ♦ ♦ ♦ ♦

AV SUPPORT RING





The support ring forms the base for all applications. It is screwed to a standard in-wall socket or surface socket.



OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
0098000	4001985501786	Support ring	bulk	563,- K č

PREMIUM

€ € €

IP FRAME

When the Premium AV-terminals are installed in a plaster wall, this frame forms an elegant seam to the wall.



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
0098000001	4001985501991	Single model	White	Set of 1	451,- K č
0098000002	4001985502035	Double model	White	Set of 1	676,- K č
0098000003	4001985502042	Triple model	White	Set of 1	1127,- K č

♦ ♦ ♦ PREMIUM

AV COVER (CLOSED)

RoHS







OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
00980005006	4001985501793	closed; 56x28	Stainless st bulk 1 / 1	681,- Kč
00980007006	4001985501809	closed; 70x35	Stainless st bulk 1 / 1	693,- K č

♦ ♦ ♦ ♦ ♦

AV COVER VIDEO / DIGITAL

RoHS

Premium AV cover with one RCA panel jack with gold-plated contacts, for instance for a video composite or digital audio connection. The





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00980085016	4001985501854	Video/Digital; 1 RCA; 56x28	Stainless st	bulk	1 / 1	792,- K č
00980087016	4001985501885	Video/Digital; 1 RCA; 70x35	Stainless st	bulk	1 / 1	793,- Kč

PREMIUM ♦ ♦ ♦



AV COVER STEREO AUDIO



Premium AV cover with two RCA panel jacks and gold-plated contacts, for instance, for connecting RCA cables for the conventional transmission of audio signals. The connections are soldered.



00

RCA AUDIO

EAN				VELKE BALENI	CENA S DPH
4001985501861	Audio; 2 RCA; 56x28	Stainless st	bulk	1/1	869,- K č
4001985501892	Audio; 2 RCA; 70x35	Stainless st	bulk	1 / 1	907,- K č
	4001985501861	4001985501861 Audio; 2 RCA; 56x28	4001985501861 Audio; 2 RCA; 56x28 Stainless st	4001985501861 Audio; 2 RCA; 56x28 Stainless st bulk	4001985501861 Audio; 2 RCA; 56x28 Stainless st bulk 1 / 1

PREMIUM € € €



AV COVER YUV



Premium AV cover with three RCA panel jacks and gold-plated contacts, for instance for RGB/YUV connections. The connections are soldered.





000

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00980085036	4001985501878	YUV; 3 RCA; 56x28	Stainless st	bulk	1 / 1	990,- K č
00980087036	4001985501915	YUV; 3 RCA; 70x35	Stainless st	bulk	1 / 1	1034,- K č

PREMIUM ♦ ♦ ♦ €

AV COVER HDMI



Premium AV cover with HDMI tray for quick and easy installation with a HDMI connection cable.



.....

HDMI

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00980035016	4001985501830	HDMI <-> HDMI; 56x28	Stainless st	bulk	1 / 1	1013,- Kč
00980037016	4001985501847	HDMI <-> HDMI; 70x35	Stainless st	bulk	1 / 1	1058,- K č

♦ ♦ ♦ ♦ ♦

AV COVER HDMI WITH CABLE



Premium AV cover with HDMI double coupling (round) for quick and easy installation with a HDMI cable.





.....

.....

OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00980025256	4001985501816	HDMI <-> HDMI 25 cm round; 56x28	Stainless st	bulk	1 / 1	1005,- Kč
00980027256	4001985501823	HDMI <-> HDMI 25 cm round; 70x35	Stainless st	bulk	1 / 1	1073,- Kč

€ €

HDMI IP INSTALLATION BOX

When the the Premium AV-terminals are installed in a plaster wall, this frame forms an elegant seam to the wall.



OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00980018016	4001985502738	HDMI (f) <> HDMI (f) 90°	White	Set of 1	1 / 1	519,- Kč

PREMIUM ♦ ♦ ♦ €

AV COVER VGA

Premium AV cover with VGA connection.





o ||||| o VELKÉ BALENÍ OBJ. ČÍSLO CENA S DPH VGA (f); 56x28 00980125016 4001985501946 Stainless st bulk 1 / 1 990,- K**č**

Stainless st

bulk

1/1

PREMIUM ♦ ♦ ♦ ♦

4001985501960

00980127016

AV COVER VGA WITH CABLE

VGA (f); 70x35

Premium AV cover with VGA double coupling for quick and easy installation with a VGA connection cable.



1037,- Kč





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00980125256	4001985501953	VGA (f) <-> VGA (f) 25cm; 56x28	Stainless st	bulk	1 / 1	859,- Kč
00980127256	4001985501977	VGA (f) <-> VGA (f) 25cm; 70x35	Stainless st	bulk	1 / 1	906,- K č

PREMIUM 🛞

♦ ♦ ♦ ♦ ♦

AV COVER SPEAKER TERMINAL



Premium AV cover with banana and spade lug connection in solid and gold-plated design. Connection for speaker cable with a cross-section of up to 6.0 mm²





OBJ. ČÍSLO	EAN				VELKÉ BALENÍ	CENA S DPH
00980105026	4001985501922	Banana/Spade Lug; 56x28	Stainless st	bulk	1 / 1	1255,- K č
00980107026	4001985501939	Banana/Spade Lug; 70x35	Stainless st	bulk	1 / 1	1287,- K č

Fuses/Distributors

STAR 🛞 🛞 🛞 🛞

DISTRIBUTOR BLOCK



Distributor block for diverting on-board voltage to several devices. 100% brass and 24c gold-plating ensure perfect contacts and maximum power. $1 \times 35 \, \text{mm}^2 - > 4 \times 10 \, \text{mm}^2$ (up to 120 a).



OBJ. ČÍSLO	EAN		VELKÉ BALENÍ	CENA S DPH
00540410	4001985540440	$1 \times 35 \text{ mm}^2 > 4 \times 10 \text{ mm}^2$; up to 120A	Set of 1	321 K č

STAR (A) (A) (A) (A) (A)

AGU FUSES



Suitable fuses for all AG U in-line fuse holders and fuse distribution blocks. Gold-plated contacts. (10 A - 80 A).



OBJ. ČÍSLO	EAN			VELKÉ BALENÍ	CENA S DPH
00568301	4001985568291	30 A Fuse	Gold	Set of 2	76,- K č

Car HiFi Accessories

TAR **(★) (★) (★) (★) (★)**

RING TERMINALS / SPADE LUGS



The ring terminals and spade lugs accommodate the cable wires neatly and provide a smooth electrical and mechanical connection to the intended screw connections. M4 - 6 mm² to M8 - 50 mm².





 OBJ. ČÍSLO
 EAN
 VELKÉ BALENÍ
 CENA S DPH

 00544251
 4001985442515
 Spade Lug M8-25 mm²
 Gold
 Set of 2
 358,- Kč

